IN THE HIGH COURT OF SOUTH AFRICA

NORTH WEST DIVISION, MAHIKENG

CASE NO. UM192/22

In the matter between:-

SAKELIGA NPC	**First Applicant**
CENTER FOR GOOD GOVRNANCE AND SOCIAL JUSTICE NPC	**Second Applicant**
BAREND LOURENS SNYMAN	**Third Applicant**

And

DITSOBOTLA LOCAL MUNICIPALITY	**First Respondent**
THE MUNICIPAL MANAGER /ACTING MUNICIPAL MANAGER OF THE DITSOBOTLA LOCAL MUNICIPALITY	**Second Respondent**
THE PREMIER OF NORTH WEST PROVINCE	**Third Respondent**
PROVINCIAL EXECUTICE OF THE NORTH WEST PROVINCE	**Fourth Respondent**

Copy Filed By TG Molefe: 073 260 5691

MEMBER OF THE EXECUTIVE COUNCIL: NORTH WEST PROVINCE: COOPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS	**Fifth Respondent**
MEMBER OF THE EXECUTIVE COUNCIL: NORTH WEST PROVINCE: FINANCE	**Sixth Respondent**
PRESIDENT OF THE REPUBLIC OF SOUTH AFRICA	**Seventh Respondent**
MINISTER NATIONAL DEPARTMENT OF COOPERATIVE GOVERNANCE AND TRADITIONAL AFFAIRS	**Eighth Respondent**
MINISTER: NATIONAL DEPARTMENT OF FINANCE	**Ninth Respondent**
MINISTER: WATER AND SANISTATION	**Tenth Respondent**
NGAKA ODIRI MOLEMA DISTRICT MUNICIPALITY	**Eleventh Respondent**
ESKOM SOC LTD	**Twelfth Respondent**
MAGALIES WATER BOARD	**Thirteenth Respondent**
THE ADMINISTRATOR: DITSOBOTLA LOCAL MUNICIPALITY	**Fourteenth Respondent**

Copy Filed By TG Molefe: 073 260 5691

FILING NOTICE

DOCUMENTS PRESENTED FOR FILING: -

ELEVENTH RESPONDENT'S ANSWERING AFFIDAVIT TO THE APPLICANT'S PART A AMENDED RELIEF

DATED AND SIGNED AT MAFIKENG ON THIS THE 22ND DAY OF FEBRUARY 2023

Thapelo G Molefe
MOLEFE ATTORNEYS
Attorneys for the Eleventh Respondent
02 Jakaranda Avenue
Riviera Park
MAFIKENG, 2745
P O Box 5037, Mmabatho, 2735
FAX: 086 694 9053
CELL: 073 260 5691
e-mail: thapelo@lawyer.com
REF: Mr Molefe/NMMDM2/UM/2022

TO: **THE REGISTRAR OF THE HIGH COURT**
MAHIKENG

Copy Filed By TG Molefe: 073 260 5691

AND TO: **LABUSCHAGNE ATTORNEYS**

Attorneys for the Applicants

In the interlocutory application

19 Constantia Drive

Riviera Park

Mafikeng, 2745

Tel : 018 381 6828

Fax:018 381 2420

e-mail: litigation2@labuschagneatt.co.za

Ref: Mr. Labuschagne/

Instructed by

KRIEK WASSENAAR & VENTER INC: ATTORNEYS

IN THE HIGH COURT OF SOUTH AFRICA

NORTH WEST DIVISION, MAHIKENG

CASE NO. UM192/22

In the matter between: -

SAKELIGA NPC	First Applicant
CENTER FOR GOOD GOVERNANCE AND SOCIAL JUSTICE NPC	Second Applicant
BAREND LOURENS SNYMAN	Third Applicant

And

DITSOBOTLA LOCAL MUNICIPALITY	First Respondent
THE MUNICIPAL MANAGER /ACTING MUNICIPAL MANAGER OF THE DITSOBOTLA LOCAL MUNICIPALITY	Second Respondent
THE PREMIER OF NORTHWEST PROVINCE	Third Respondent
PROVINCIAL EXECUTIVE OF THE NORTHWEST PROVINCE	Fourth Respondent
MEMBER OF THE EXECUTIVE COUNCIL: NORTHWEST PROVINCE: COOPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS	Fifth Respondent

MEMBER OF THE EXECUTIVE COUNCIL:
NORTH WEST PROVINCE: FINANCE Sixth Respondent

PRESIDENT OF THE REPUBLIC OF
SOUTH AFRICA Seventh Respondent

MINISTER NATIONAL DEPARTMENT OF COOPERATIVE
GOVERNANCE AND TRADITIONAL AFFAIRS Eighth Respondent

MINISTER: NATIONAL DEPARTMENT OF FINANCE Ninth Respondent

MINISTER: WATER AND SANITATION Tenth Respondent

NGAKA MODIRI MOLEMA DISTRICT MUNICIPALITY
MODIRI MOLEMA DISTRICT MUNICIPALITY Eleventh Respondent

ESKOM SOC LTD Twelfth Respondent

MAGALIES WATER BOARD Thirteenth Respondent

THE ADMINISTRATOR:
DITSOBOTLA LOCAL MUNICIPALITY Fourteenth Respondent

ELEVENTH RESPONDENT'S ANSWERING AFFIDAVIT TO THE APPLICANT'S PART A AMENDED RELIEF

I, the undersigned:

OLEHILE ALLAN LOSABA

declare under oath and say that:

A. INTRODUCTION

1. I am:

1.1. A Major of full legal capacity;

1.2. employed by Ngaka Modiri Molema District Municipality in the capacity of a Municipal Manager, and therefore, the Administrative Head and Accounting Officer;

1.3. executing my duties at Corner of Carrington street and 1st Avenue, Industrial site, Mahikeng.

1.4. By virtue of my capacity as such and the relevant delegations of authority, I am duly authorized to depose to this affidavit on behalf of Ngaka Modiri Molema District Municipality.

1.5. The facts set out in this Answering Affidavit to Part A are, unless otherwise stated or the converse appears from the context, within my personal knowledge, and are both true and correct.

1.6. Where I make legal submissions in this affidavit, I do so based on the advice of Ngaka Modiri Molema District Municipality's legal representatives.

1.7. I am the Head of Administration of Ngaka Modiri Molema District Municipality and in my capacity as such, I am responsible and accountable for:-

1.7.1 The formation and development of an economical, effective, efficient, and accountable administration.

1.7.2 The management of the Municipality's administration in accordance with the Systems Act and other legislation applicable to the Municipality;

1.7.3 The implementation of the Municipality's Integrated Development Plan, and the monitoring of progress with implementation of the plan;

1.7.4 The management of the provision of services to the local community in a sustainable and equitable manner;

1.7.5 Facilitating participation by the local community in the affairs of the Municipality;

1.7.6 Developing and maintaining a system whereby community satisfaction with municipal services is assessed;

1.7.7 all income and expenditure of the Municipality;

1.7.8 all assets and discharge of all liabilities of the Municipality; and

1.7.8 proper and diligent compliance with the Municipal Finance Management Act, amongst others.

1.8 I am also responsible for the effective, efficient, economical and transparent use of the resources of Ngaka Modiri Molema District Municipality and to take effective and appropriate steps to

prevent unauthorized, irregular and fruitless and wasteful expenditure and losses resulting from criminal conduct and to manage available working capital efficiently and economically.

1.9 In addition, I am responsible for ensuring that the expenditure of Ngaka Modiri Molema District Municipality is in accordance with its vote and that effective and appropriate steps are taken to prevent any unauthorized expenditure.

2 Prior to the applicants' amendment, Ngaka Modiri Molema District Municipality ("Ngaka") did not file any opposing papers against any relief sought by the Applicants either in Part A or Part B of the application, as no specific order was sought against it.

3 The Applicants have since amended their notice of motion in so far as **Part A** is concerned, wherein amongst others, they seek the following relief against Ngaka:

3.1 that pending the outcome and final determination of **Part B** of this application, and the successful implementation of the provision of the basic service of providing water to the community of Ditsobotla;

3.1.1 Ngaka be ordered and directed to supply and ensure the provision of sufficient potable bulk water to Ditsobotla;

3.1.2 that Ngaka, Ditsobotla, the Administrator and alternatively to the Administrator, any other respondent as the court may find responsible for the sustainable provision of portable water to the community of Ditsobotla be ordered and directed to forthwith take all such steps as are necessary and required to ensure the sustainable provision of portable water to the community of Ditsobotla;

3.1.3 that Ngaka, Ditsobotla, the Administrator and alternatively to the Administrator, any other respondent as the court may find responsible for the sustainable provision of portable water to the community of Ditsobotla be ordered and directed to restore the sustainable provision of portable water to the community of Ditsobotla within 5 (five) days of the date of the order;

3.1.4 that in the event of the aforementioned parties fail to comply with the aforesaid orders and the sustainable provision of portable water is not restored to the community of Ditsobotla within 5 (five) days of date of this order;

3.1.4.1 that the First Applicant and its duly authorized representative(s) be authorized to take all such steps as may be necessary to return to the communities in the towns of Lichtenburg and Coligny, and surrounding arears, the basic service of portable water supply through reticulation of the existing water infrastructure, including but not limited to accessing any part of the potable water reticulation system; and

3.1.5 that Ngaka, Ditsobotla, the Administrator and alternatively to the Administrator, any other Respondent as the court may find responsible for the sustainable provision of portable water to the community of Ditsobotla be ordered and directed to report back to the court on affidavit within 5(five) days of this order setting out factual proof of all steps that have been taken to ensure the provision of access to the basic service of water within the jurisdictional area of Ditsobotla, whether the sustainable provision of potable water to the community of Ditsobotla has been restored or not, and any further steps that are required to be taken to ensure the sustainable provision of potable water to the community of Ditsobotla.

4 On a simple reading of prayers 3.4.1 and 4, the First Applicant seem to be seeking orders that are mutually destructive in that the First Applicant

seeks authorization to have access to Ditsobotla's water reticulation network in the event of noncompliance while on the other hand, it seeks an order that Ngaka, Ditsobotla, the Administrator and alternatively to the Administrator, any other Respondent as the court may find responsible for the sustainable provision of portable water to the community of Ditsobotla be ordered and directed to report back to the court on affidavit within 5(five) days of this order setting out factual proof of all steps that have been taken to ensure the provision of access to the basic service.

5 I submit that both prayers are incapable of being granted together. It is either the first applicant gets authorization to have access to Ditsobotla water reticulation network or that, the respondents are directed to report to court on affidavit within 5 days setting out factual proof of all steps that have been taken to ensure the provision of access to the basic service of water in the event of its non-compliance. The applicants cannot have their bread buttered both sides. It must choose which relief it requires.

6 Ngaka is however not opposing the relief sought against it based on the above. Ngaka is in possession of data that demonstrates the adequacy of bulk water and if this is found to be correct, then any relief sought against it should be dismissed. For reasons that I set out below, the Applicants are on a fishing expedition against Ngaka and uses it as a bait in their own desperate attempt to usurp control of the water infrastructure in Ditsobotla.

7 From the onset and as contained in the Founding Affidavit, to which there is no Supplementary Affidavit thereto, the Applicants' complaint has always been about the water reticulation network. As previously stated, the water reticulation network is the primary responsibility of Ditsobotla Local Municipality and where necessary, Ngaka provides support like it has recently done. The Applicants are well aware of this position but for some strange reasons, they just have to find a way of complicating matters by claiming that there is no bulk water, when there is sufficient supply.

8 If there was indeed no bulk water, I would have expected the Applicants to challenge Ngaka's Explanatory Affidavit the moment same was placed before court, something that they never did. In the said Explanatory Affidavit, Ngaka has told the court about its upgrading of the bulk water supply at Lichtenburg, its refurbishment of existing boreholes, the perimeter fencing, the construction of sludge dam and also the construction of the 5 ML reservoir.

9 At no stage did the Applicants dispute these allegations. What the Applicants have since done was to wait for Ngaka to first place facts before the court and once that has been done, it then scrutinizes same for purposes of formulating its case against Ngaka, when at onset, it never had a case that it required Ngaka to answer thereto. With humble respect, I submit that the Applicants are litigating in bad faith. It is therefore on the basis of the aforesaid that Ngaka deem it prudent to file an Answering

Affidavit, which is strictly limited to the relief that is being sought against it. In this Answering Affidavit, I deal only with issues relevant to Ngaka and not the entire application.

B. <u>LITIGATION HISTORY</u>

10 Ngaka has already filed 2 sets of affidavits in this matter. One affidavit is an Explanatory Affidavit which is found in page 506 - 522 of the Master bundle. The said Explanatory Affidavit was not in opposition to the then relief sought by the Applicant.

11 The second affidavit which is a report to court on the interventions made by Ngaka, was filed on the 03 February 2023, pursuant the Directives of the Honourable Madam Justice Djadje; DJP during the Judicial case meeting on the 23 January 2023.

12 Once more, I need to reiterate that at the time when the Explanatory Affidavit was filed, the Applicants never took any issue with the contents thereof. Their silence therefore imply that they agree with Ngaka's contention.

13 The first time the Applicants raised issues against Ngaka was pursuant the filing of Ngaka's report to court on the 03 the February 2023. The

essence of Ngaka's report was to deal with the issue of bulk water and the assistance it has provided to Ditsobotla.

14 Following the filing of Ngaka's report, the Applicants then filed a reply thereto, wherein they are disputing all allegations raised in report. They insist that Ngaka is failing to provide bulk water, which I submit was never their case in the Founding Affidavit.

15 On the 13 February 2023, following another case management meeting, Her Ladyship Madam Deputy Judge President Djadje, issued a further directive wherein the Applicants were to file their amended papers by no later than the 14 February 2023 and for any of the Respondents who wishes to oppose, to file its opposing papers by no later than 22 February 2023 and for the Applicants to reply thereto within 5 days thereof. The matter has since been set down to the 02 March 2023.

16 In support of its case to dispute Ngaka's report, the Applicants rely on one Chris Breedt ("Breedt") who allege that on the 05 February 2023, he inspected reservoirs at Klipveld and Waterworks in Lichtenburg and took some readings. His inspections revealed that the bulk water supply is entirely and grossly insufficient.

17 Having considered the Applicants' amendment and what Breedt alleges, Ngaka finds it necessary to file this Answering Affidavit in opposition to the relief sought against it. The basis being that, notwithstanding Ngaka having placed all the correct information before the court, the Applicants have now seen an opportunity to snatch at a bargain and build a case against Ngaka, when at first instance, its issue pertains to Ditsobotla water reticulation system and not inadequate supply of bulk water.

C. <u>DID THE APPLICANTS MADE OUT A CASE FOR A RELIEF SOUGHT AGAINST NGAKA</u>

18 As already stated, Ngaka has to date filed two affidavits. Both affidavits were filed voluntarily and with the sole intention of assisting the court regarding the provision of bulk water to Ditsobotla.

19 It has further become apparent that by filing the two affidavits, the Applicants are now attempting to snatch at a bargain, notwithstanding that Ngaka has already placed tangible proof before the court.

20 The initial issue was not about the inadequate bulk water but about the alleged failing water reticulation system of Ditsobotla. I have already dealt with the issue in the report to court wherein Ngaka has outlined

intervention measures and the assistance it is providing to Ditsobotla. I refer to the report previously filed regarding those intervention measures.

21 The Applicants first raised the issue of the insufficient bulk water in their reply to the report already filed. According to Mr Breedt, he alleges on paragraphs 64 – 66 of the said reply that on the 05 February 2023, he inspected reservoirs 1, 2, 3 and water works and found the bulk water supply to be grossly insufficient.

22 It is therefore on this basis that the Applicants purport to have made out a case for the relief sought against Ngaka, thereby seeking order(s) as prayed for.

23 I submit that this contention by Mr Breedt is completely inaccurate and misleading. I have in my possession data in a form of readings that were obtained that demonstrate that on the 05 February 2023, a total of 10.40ML of portable water was pumped into waterworks reservoir. I annex the water readings of waterworks reservoir for the 05 February 2023, marked annexure **"AA1."**

24 I am further advised that the reason only 10.40ML was pumped into waterworks reservoir, is because bore hole 10A, which pumps into reservoir 1 (one of the temporary storage reservoirs which pumps into

waterworks reservoir) is inoperative and is still undergoing repairs. In support of this contention, I refer to the confirmatory affidavit of the Engineer from Themak Consulting Engineers, Mr Edwin Makola, together with annexures thereof, marked annexure "**AA2.**"

25 In the event Ngaka's contention is found to be true and correct, which I submit it is, then the entire relief that is being sought against it must fail. Apart from the purported readings of the 05 February 2023 by Mr Breedt, the applicants have not adduced any other allegations that tend to support their contention regarding the inadequate bulk water.

26 I now turn to deal only with specific allegations relating to Ngaka in the Founding Affidavit.

D. AD FOUNDING AFFIDAVIT

27 Ad paragraph 39

27.1 Save to note the allegations relating to the breakdown in the water reticulation network, I submit that Ngaka has developed intervention measures and is now providing Ditsobotla with the necessary support. I refer to the report already filed.

27.2 Furthermore, on its own version, the Applicants issue is not about the inadequate bulk water, but the broken reticulation network.

27.3 I am further advised that in order for one to obtain a relief sought, a case need to be made out in the Founding Affidavit. So far, I have not encountered any allegations in the Founding Affidavit that tend to support the relief that is being sought by the Applicants against Ngaka.

28 <u>Ad paragraph 39.5</u>

28.1 I deny the allegations.

28.2 Ngaka has recently upgraded its bulk water provision at a cost of multimillions and its completion date was the 22 June 2022. This fact is not disputed by the Applicants.

28.3 As per the Explanatory Affidavit, there is sufficient bulk water and the allegations contained in the aforesaid affidavit, were never disputed. They remain unchallenged. It is only now that for the first time that the Applicants raise an issue about the inadequate bulk water.

29 Ad paragraph 39.14

29.1 Save to the allegations therein, I deny that the water quality in Ditsobotla is of a poor quality.

29.2 I therefore put Dr van den Berg and the Applicants to the proof thereof.

30 Ad paragraph 90

30.1 I have already dealt with the issue and therefore I will not answer thereto.

E. CONCLUSION

31 In the circumstances, I submit that the Applicants have failed to make out a case against the Eleventh Respondent and as such, any relief sought therein should be dismissed with costs.

_____

OLEHILE ALLAN LOSABA

I CERTIFY that this affidavit was signed before and sworn to before me at MAFIKENG on this the 22ND day of FEBRUARY 2023, by the deponent who acknowledge that he knew and understood the contents of this affidavit, had no objection to taking this oath, considered this oath to be binding on his conscience and who uttered the following words: “I swear that the contents of this affidavit are true, so help me God”.

_____

COMMISSIONER OF OATHS

Date	Time	Cumulative	30 min flow	1 hour flow
2/7/2007	4:37:05	5850	20 m3/30min	50 m3/hour
2/7/2023	4:06:58	5848	30 m3/30min	
2/7/2023	3:36:52	5845	20 m3/30min	40 m3/hour
2/7/2023	3:06:45	5843	20 m3/30min	
2/7/2023	2:36:38	5841	20 m3/30min	50 m3/hour
2/7/2023	2:06:32	5839	30 m3/30min	
2/7/2023	1:36:25	5836	20 m3/30min	40 m3/hour
2/7/2023	1:06:18	5834	20 m3/30min	
2/7/2023	0:36:12	5832	20 m3/30min	40 m3/hour
2/7/2023	0:06:05	5830	20 m3/30min	
2/6/2023	23:35:59	5828	20 m3/30min	40 m3/hour
2/6/2023	23:05:52	5826	20 m3/30min	
2/6/2023	22:35:45	5824	20 m3/30min	40 m3/hour
2/6/2023	22:05:39	5822	20 m3/30min	
2/6/2023	21:35:32	5820	10 m3/30min	30 m3/hour
2/6/2023	21:05:26	5819	20 m3/30min	
2/6/2023	20:35:19	5817	20 m3/30min	50 m3/hour
2/6/2023	20:05:12	5815	30 m3/30min	
2/6/2023	19:35:06	5812	20 m3/30min	40 m3/hour
2/6/2023	19:04:59	5810	20 m3/30min	
2/6/2023	18:34:52	5808	30 m3/30min	50 m3/hour
2/6/2023	18:04:46	5805	20 m3/30min	
2/6/2023	17:34:39	5803	20 m3/30min	40 m3/hour
2/6/2023	17:04:34	5801	20 m3/30min	
2/6/2023	16:34:28	5799	30 m3/30min	50 m3/hour
2/6/2023	16:04:21	5796	20 m3/30min	
2/6/2023	15:34:14	5794	20 m3/30min	40 m3/hour
2/6/2023	15:04:08	5792	20 m3/30min	
2/6/2023	14:34:01	5790	20 m3/30min	40 m3/hour
2/6/2023	14:03:55	5788	20 m3/30min	
2/6/2023	13:33:48	5786	20 m3/30min	40 m3/hour
2/6/2023	13:03:41	5784	20 m3/30min	
2/6/2023	12:33:36	5782	20 m3/30min	40 m3/hour
2/6/2023	12:03:30	5780	20 m3/30min	
2/6/2023	11:33:23	5778	20 m3/30min	40 m3/hour
2/6/2023	11:03:17	5776	20 m3/30min	
2/6/2023	10:33:10	5774	20 m3/30min	40 m3/hour
2/6/2023	10:03:03	5772	20 m3/30min	
2/6/2023	9:32:57	5770	20 m3/30min	40 m3/hour
2/6/2023	9:02:50	5768	20 m3/30min	
2/6/2023	8:32:43	5766	20 m3/30min	50 m3/hour
2/6/2023	8:02:37	5764	30 m3/30min	
2/6/2023	7:32:30	5761	20 m3/30min	40 m3/hour

2/6/2023	7:02:24	5759	20 m3/30min	
2/6/2023	6:32:17	5757	20 m3/30min	40 m3/hour
2/6/2023	6:02:12	5755	20 m3/30min	
2/6/2023	5:32:06	5753	20 m3/30min	40 m3/hour
2/6/2023	5:01:59	5751	20 m3/30min	
2/6/2023	4:31:52	5749	20 m3/30min	40 m3/hour
2/6/2023	4:01:46	5747	20 m3/30min	
2/6/2023	3:31:39	5745	20 m3/30min	50 m3/hour
2/6/2023	3:01:33	5743	30 m3/30min	
2/6/2023	2:31:26	5740	20 m3/30min	40 m3/hour
2/6/2023	2:01:19	5738	20 m3/30min	
2/6/2023	1:31:13	5736	30 m3/30min	50 m3/hour
2/6/2023	1:01:06	5733	20 m3/30min	
2/6/2023	0:31:00	5731	20 m3/30min	40 m3/hour
2/6/2023	0:00:53	5729	20 m3/30min	
2/5/2023	23:30:46	5727	30 m3/30min	50 m3/hour
2/5/2023	23:00:40	5724	20 m3/30min	
2/5/2023	22:30:33	5722	20 m3/30min	40 m3/hour
2/5/2023	22:00:26	5720	20 m3/30min	
2/5/2023	21:30:20	5718	20 m3/30min	40 m3/hour
2/5/2023	21:00:13	5716	20 m3/30min	
2/5/2023	20:30:06	5714	20 m3/30min	40 m3/hour
2/5/2023	20:00:00	5712	20 m3/30min	
2/5/2023	19:29:53	5710	30 m3/30min	50 m3/hour
2/5/2023	18:59:46	5707	20 m3/30min	
2/5/2023	18:29:40	5705	30 m3/30min	50 m3/hour
2/5/2023	17:59:33	5702	20 m3/30min	
2/5/2023	17:29:26	5700	30 m3/30min	50 m3/hour
2/5/2023	16:59:20	5697	20 m3/30min	
2/5/2023	16:29:13	5695	20 m3/30min	50 m3/hour
2/5/2023	15:59:06	5693	30 m3/30min	
2/5/2023	15:29:00	5690	20 m3/30min	50 m3/hour
2/5/2023	14:58:53	5688	30 m3/30min	
2/5/2023	14:28:46	5685	20 m3/30min	50 m3/hour
2/5/2023	13:58:40	5683	30 m3/30min	
2/5/2023	13:28:33	5680	20 m3/30min	40 m3/hour
2/5/2023	12:58:27	5678	20 m3/30min	
2/5/2023	12:28:20	5676	30 m3/30min	50 m3/hour
2/5/2023	11:58:14	5673	20 m3/30min	
2/5/2023	11:28:07	5671	30 m3/30min	50 m3/hour
2/5/2023	10:58:00	5668	20 m3/30min	
2/5/2023	10:27:54	5666	20 m3/30min	50 m3/hour
2/5/2023	9:57:47	5664	30 m3/30min	
2/5/2023	9:27:41	5661	20 m3/30min	40 m3/hour

2/5/2023	8:57:34	5659	20 m3/30min	
2/5/2023	8:27:27	5657	20 m3/30min	40 m3/hour
2/5/2023	7:57:21	5655	20 m3/30min	
2/5/2023	7:27:14	5653	30 m3/30min	50 m3/hour
2/5/2023	6:57:08	5650	20 m3/30min	
2/5/2023	6:27:01	5648	20 m3/30min	40 m3/hour
2/5/2023	5:56:54	5646	20 m3/30min	
2/5/2023	5:26:48	5644	20 m3/30min	40 m3/hour
2/5/2023	4:56:42	5642	20 m3/30min	
2/5/2023	4:26:35	5640	20 m3/30min	40 m3/hour
2/5/2023	3:56:28	5638	20 m3/30min	
2/5/2023	3:26:22	5636	20 m3/30min	40 m3/hour
2/5/2023	2:56:15	5634	20 m3/30min	
2/5/2023	2:26:08	5632	10 m3/30min	30 m3/hour
2/5/2023	1:56:02	5631	20 m3/30min	
2/5/2023	1:25:55	5629	20 m3/30min	40 m3/hour
2/5/2023	0:55:49	5627	20 m3/30min	
2/5/2023	0:25:42	5625	10 m3/30min	20 m3/hour
2/4/2023	23:55:35	5624	10 m3/30min	
2/4/2023	23:25:29	5623	20 m3/30min	40 m3/hour
2/4/2023	22:55:22	5621	20 m3/30min	
2/4/2023	22:25:16	5619	20 m3/30min	40 m3/hour
2/4/2023	21:55:09	5617	20 m3/30min	
2/4/2023	21:25:03	5615	20 m3/30min	50 m3/hour
2/4/2023	20:54:56	5613	30 m3/30min	
2/4/2023	20:24:49	5610	20 m3/30min	40 m3/hour
2/4/2023	19:54:43	5608	20 m3/30min	
2/4/2023	19:24:36	5606	20 m3/30min	40 m3/hour
2/4/2023	18:54:30	5604	20 m3/30min	
2/4/2023	18:24:23	5602	30 m3/30min	50 m3/hour
2/4/2023	17:54:16	5599	20 m3/30min	
2/4/2023	17:24:10	5597	20 m3/30min	50 m3/hour
2/4/2023	16:54:06	5595	30 m3/30min	
2/4/2023	16:23:59	5592	20 m3/30min	30 m3/hour
2/4/2023	15:53:53	5590	10 m3/30min	
2/4/2023	15:23:46	5589	20 m3/30min	40 m3/hour
2/4/2023	14:53:39	5587	20 m3/30min	
2/4/2023	14:23:33	5585	30 m3/30min	50 m3/hour
2/4/2023	13:53:26	5582	20 m3/30min	
2/4/2023	13:23:19	5580	20 m3/30min	40 m3/hour
2/4/2023	12:53:13	5578	20 m3/30min	
2/4/2023	12:23:06	5576	30 m3/30min	50 m3/hour
2/4/2023	11:53:00	5573	20 m3/30min	
2/4/2023	11:22:53	5571	20 m3/30min	50 m3/hour

2/4/2023	10:52:46	5569	30 m3/30min	
2/4/2023	10:22:40	5566	20 m3/30min	40 m3/hour
2/4/2023	9:52:33	5564	20 m3/30min	
2/4/2023	9:22:27	5562	20 m3/30min	40 m3/hour
2/4/2023	8:52:20	5560	20 m3/30min	
2/4/2023	8:22:13	5558	20 m3/30min	40 m3/hour
2/4/2023	7:52:06	5556	20 m3/30min	
2/4/2023	7:22:00	5554	20 m3/30min	40 m3/hour
2/4/2023	6:51:54	5552	20 m3/30min	
2/4/2023	6:21:47	5550	20 m3/30min	40 m3/hour
2/4/2023	5:51:41	5548	20 m3/30min	
2/4/2023	5:21:34	5546	30 m3/30min	50 m3/hour
2/4/2023	4:51:27	5543	20 m3/30min	
2/4/2023	4:21:21	5541	20 m3/30min	40 m3/hour
2/4/2023	3:51:14	5539	20 m3/30min	
2/4/2023	3:21:07	5537	20 m3/30min	40 m3/hour
2/4/2023	2:51:01	5535	20 m3/30min	
2/4/2023	2:20:54	5533	20 m3/30min	40 m3/hour
2/4/2023	1:50:48	5531	20 m3/30min	
2/4/2023	1:20:41	5529	20 m3/30min	40 m3/hour
2/4/2023	0:50:34	5527	20 m3/30min	
2/4/2023	0:20:28	5525	10 m3/30min	30 m3/hour
2/3/2023	23:50:21	5524	20 m3/30min	
2/3/2023	23:20:14	5522	20 m3/30min	30 m3/hour
2/3/2023	22:50:08	5520	10 m3/30min	
2/3/2023	22:20:01	5519	20 m3/30min	40 m3/hour
2/3/2023	21:49:55	5517	20 m3/30min	
2/3/2023	21:19:48	5515	20 m3/30min	30 m3/hour
2/3/2023	20:49:41	5513	10 m3/30min	
2/3/2023	20:19:35	5512	20 m3/30min	40 m3/hour
2/3/2023	19:49:28	5510	20 m3/30min	
2/3/2023	19:19:22	5508	20 m3/30min	30 m3/hour
2/3/2023	18:49:15	5506	10 m3/30min	
2/3/2023	18:19:08	5505	20 m3/30min	40 m3/hour
2/3/2023	17:49:02	5503	20 m3/30min	
2/3/2023	17:18:55	5501	10 m3/30min	30 m3/hour
2/3/2023	16:48:49	5500	20 m3/30min	
2/3/2023	16:18:42	5498	10 m3/30min	20 m3/hour
2/3/2023	15:48:35	5497	10 m3/30min	
2/3/2023	15:18:29	5496	10 m3/30min	30 m3/hour
2/3/2023	14:48:22	5495	20 m3/30min	
2/3/2023	14:18:15	5493	20 m3/30min	40 m3/hour
2/3/2023	13:48:09	5491	20 m3/30min	
2/3/2023	13:18:02	5489	20 m3/30min	30 m3/hour

2/3/2023	12:47:55	5487	10 m3/30min	
2/3/2023	12:17:49	5486	20 m3/30min	40 m3/hour
2/3/2023	11:47:42	5484	20 m3/30min	
2/3/2023	11:17:35	5482	10 m3/30min	30 m3/hour
2/3/2023	10:47:29	5481	20 m3/30min	
2/3/2023	10:17:22	5479	20 m3/30min	40 m3/hour
2/3/2023	9:47:15	5477	20 m3/30min	
2/3/2023	9:17:08	5475	20 m3/30min	40 m3/hour
2/3/2023	8:47:02	5473	20 m3/30min	
2/3/2023	8:16:55	5471	20 m3/30min	30 m3/hour
2/3/2023	7:46:49	5469	10 m3/30min	
2/3/2023	7:16:41	5468	20 m3/30min	40 m3/hour
2/3/2023	6:46:35	5466	20 m3/30min	
2/3/2023	6:16:28	5464	20 m3/30min	40 m3/hour
2/3/2023	5:46:22	5462	20 m3/30min	
2/3/2023	5:16:15	5460	30 m3/30min	50 m3/hour
2/3/2023	4:46:09	5457	20 m3/30min	
2/3/2023	4:16:02	5455	20 m3/30min	50 m3/hour
2/3/2023	3:45:55	5453	30 m3/30min	
2/3/2023	3:15:49	5450	20 m3/30min	40 m3/hour
2/3/2023	2:45:42	5448	20 m3/30min	
2/3/2023	2:15:35	5446	20 m3/30min	50 m3/hour
2/3/2023	1:45:29	5444	30 m3/30min	
2/3/2023	1:15:22	5441	20 m3/30min	40 m3/hour
2/3/2023	0:45:16	5439	20 m3/30min	
2/3/2023	0:15:09	5437	10 m3/30min	30 m3/hour
2/2/2023	23:45:02	5436	20 m3/30min	
2/2/2023	23:14:56	5434	10 m3/30min	30 m3/hour
2/2/2023	22:44:49	5433	20 m3/30min	
2/2/2023	22:14:43	5431	20 m3/30min	40 m3/hour
2/2/2023	21:44:36	5429	20 m3/30min	
2/2/2023	21:14:29	5427	20 m3/30min	40 m3/hour
2/2/2023	20:44:23	5425	20 m3/30min	
2/2/2023	20:14:16	5423	20 m3/30min	40 m3/hour
2/2/2023	19:44:09	5421	20 m3/30min	
2/2/2023	19:14:03	5419	20 m3/30min	30 m3/hour
2/2/2023	18:43:56	5417	10 m3/30min	
2/2/2023	18:13:50	5416	20 m3/30min	40 m3/hour
2/2/2023	17:43:43	5414	20 m3/30min	
2/2/2023	17:13:36	5412	20 m3/30min	40 m3/hour
2/2/2023	16:43:30	5410	20 m3/30min	
2/2/2023	16:13:23	5408	20 m3/30min	30 m3/hour
2/2/2023	15:43:16	5406	10 m3/30min	
2/2/2023	15:13:10	5405	20 m3/30min	40 m3/hour

2/2/2023	14:43:03	5403	20 m3/30min	
2/2/2023	14:12:57	5401	20 m3/30min	30 m3/hour
2/2/2023	13:42:50	5399	10 m3/30min	
2/2/2023	13:12:43	5398	20 m3/30min	30 m3/hour
2/2/2023	12:42:37	5396	10 m3/30min	
2/2/2023	12:12:30	5395	20 m3/30min	30 m3/hour
2/2/2023	11:42:24	5393	10 m3/30min	
2/2/2023	11:12:17	5392	20 m3/30min	30 m3/hour
2/2/2023	10:42:10	5390	10 m3/30min	
2/2/2023	10:12:04	5389	10 m3/30min	20 m3/hour
2/2/2023	9:41:57	5388	10 m3/30min	
2/2/2023	9:11:50	5387	10 m3/30min	10 m3/hour
2/2/2023	8:41:44	5386	m3/30min	
2/2/2023	8:11:37	5386	10 m3/30min	20 m3/hour
2/2/2023	7:41:30	5385	10 m3/30min	
2/2/2023	7:11:24	5384	10 m3/30min	20 m3/hour
2/2/2023	6:41:17	5383	10 m3/30min	
2/2/2023	6:11:11	5382	20 m3/30min	40 m3/hour
2/2/2023	5:41:04	5380	20 m3/30min	
2/2/2023	5:10:57	5378	30 m3/30min	50 m3/hour
2/2/2023	4:40:51	5375	20 m3/30min	
2/2/2023	4:10:44	5373	20 m3/30min	40 m3/hour
2/2/2023	3:40:38	5371	20 m3/30min	
2/2/2023	3:10:31	5369	30 m3/30min	50 m3/hour
2/2/2023	2:40:24	5366	20 m3/30min	
2/2/2023	2:10:18	5364	20 m3/30min	40 m3/hour
2/2/2023	1:40:11	5362	20 m3/30min	
2/2/2023	1:10:04	5360	20 m3/30min	40 m3/hour
2/2/2023	0:39:58	5358	20 m3/30min	
2/2/2023	0:09:51	5356	20 m3/30min	30 m3/hour
2/1/2023	23:39:44	5354	10 m3/30min	
2/1/2023	23:09:38	5353	20 m3/30min	40 m3/hour
2/1/2023	22:39:31	5351	20 m3/30min	
2/1/2023	22:09:24	5349	20 m3/30min	40 m3/hour
2/1/2023	21:39:17	5347	20 m3/30min	
2/1/2023	21:09:11	5345	30 m3/30min	50 m3/hour
2/1/2023	20:39:04	5342	20 m3/30min	
2/1/2023	20:08:58	5340	20 m3/30min	40 m3/hour
2/1/2023	19:38:52	5338	20 m3/30min	
2/1/2023	19:08:45	5336	20 m3/30min	40 m3/hour
2/1/2023	18:38:38	5334	20 m3/30min	
2/1/2023	18:08:32	5332	30 m3/30min	50 m3/hour
2/1/2023	17:38:25	5329	20 m3/30min	
2/1/2023	17:08:18	5327	20 m3/30min	40 m3/hour

2/1/2023	16:38:12	5325	20 m3/30min	
2/1/2023	16:08:05	5323	10 m3/30min	30 m3/hour
2/1/2023	15:37:58	5322	20 m3/30min	
2/1/2023	15:07:52	5320	10 m3/30min	30 m3/hour
2/1/2023	14:37:45	5319	20 m3/30min	
2/1/2023	14:07:38	5317	20 m3/30min	40 m3/hour
2/1/2023	13:37:32	5315	20 m3/30min	
2/1/2023	13:07:25	5313	20 m3/30min	40 m3/hour
2/1/2023	12:37:19	5311	20 m3/30min	
2/1/2023	12:07:12	5309	20 m3/30min	30 m3/hour
2/1/2023	11:37:05	5307	10 m3/30min	
2/1/2023	11:06:59	5306	20 m3/30min	40 m3/hour
2/1/2023	10:36:52	5304	20 m3/30min	
2/1/2023	10:06:46	5302	20 m3/30min	40 m3/hour
2/1/2023	9:36:39	5300	20 m3/30min	
2/1/2023	9:06:32	5298	10 m3/30min	20 m3/hour
2/1/2023	8:36:26	5297	10 m3/30min	
2/1/2023	8:06:19	5296	10 m3/30min	30 m3/hour
2/1/2023	7:36:12	5295	20 m3/30min	
2/1/2023	7:06:06	5293	10 m3/30min	30 m3/hour
2/1/2023	6:35:59	5292	20 m3/30min	
2/1/2023	6:05:52	5290	30 m3/30min	50 m3/hour
2/1/2023	5:35:46	5287	20 m3/30min	
2/1/2023	5:05:39	5285	20 m3/30min	40 m3/hour
2/1/2023	4:35:33	5283	20 m3/30min	
2/1/2023	4:05:26	5281	30 m3/30min	50 m3/hour
2/1/2023	3:35:19	5278	20 m3/30min	
2/1/2023	3:05:11	5276	20 m3/30min	40 m3/hour
2/1/2023	2:35:05	5274	20 m3/30min	
2/1/2023	2:04:58	5272	20 m3/30min	50 m3/hour
2/1/2023	1:34:52	5270	30 m3/30min	
2/1/2023	1:04:45	5267	20 m3/30min	40 m3/hour
2/1/2023	0:34:38	5265	20 m3/30min	
2/1/2023	0:04:32	5263	20 m3/30min	40 m3/hour
1/31/2023	23:34:25	5261	20 m3/30min	
1/31/2023	23:04:18	5259	20 m3/30min	40 m3/hour
1/31/2023	22:34:12	5257	20 m3/30min	
1/31/2023	22:04:05	5255	30 m3/30min	50 m3/hour
1/31/2023	21:33:59	5252	20 m3/30min	
1/31/2023	21:03:52	5250	20 m3/30min	40 m3/hour
1/31/2023	20:33:45	5248	20 m3/30min	
1/31/2023	20:03:39	5246	30 m3/30min	50 m3/hour
1/31/2023	19:33:32	5243	20 m3/30min	
1/31/2023	19:03:26	5241	20 m3/30min	40 m3/hour

1/31/2023	18:33:19	5239	20 m3/30min	
1/31/2023	18:03:12	5237	20 m3/30min	40 m3/hour
1/31/2023	17:33:05	5235	20 m3/30min	
1/31/2023	17:02:59	5233	20 m3/30min	40 m3/hour
1/31/2023	16:32:52	5231	20 m3/30min	
1/31/2023	16:02:46	5229	20 m3/30min	40 m3/hour
1/31/2023	15:32:39	5227	20 m3/30min	
1/31/2023	15:02:32	5225	20 m3/30min	50 m3/hour
1/31/2023	14:32:26	5223	30 m3/30min	
1/31/2023	14:02:19	5220	20 m3/30min	40 m3/hour
1/31/2023	13:32:12	5218	20 m3/30min	
1/31/2023	13:02:06	5216	20 m3/30min	40 m3/hour
1/31/2023	12:31:59	5214	20 m3/30min	
1/31/2023	12:01:52	5212	20 m3/30min	40 m3/hour
1/31/2023	11:31:46	5210	20 m3/30min	
1/31/2023	11:01:39	5208	20 m3/30min	40 m3/hour
1/31/2023	10:31:33	5206	20 m3/30min	
1/31/2023	10:01:26	5204	20 m3/30min	30 m3/hour
1/31/2023	9:31:19	5202	10 m3/30min	
1/31/2023	9:01:13	5201	20 m3/30min	40 m3/hour
1/31/2023	8:31:06	5199	20 m3/30min	
1/31/2023	8:01:00	5197	20 m3/30min	30 m3/hour
1/31/2023	7:30:53	5195	10 m3/30min	
1/31/2023	7:00:46	5194	20 m3/30min	40 m3/hour
1/31/2023	6:30:40	5192	20 m3/30min	
1/31/2023	6:00:34	5190	20 m3/30min	40 m3/hour
1/31/2023	5:30:28	5188	20 m3/30min	
1/31/2023	5:00:21	5186	20 m3/30min	40 m3/hour
1/31/2023	4:30:14	5184	20 m3/30min	
1/31/2023	4:00:08	5182	10 m3/30min	30 m3/hour
1/31/2023	3:30:01	5181	20 m3/30min	
1/31/2023	2:59:55	5179	20 m3/30min	30 m3/hour
1/31/2023	2:29:47	5177	10 m3/30min	
1/31/2023	1:59:40	5176	10 m3/30min	20 m3/hour
1/31/2023	1:29:34	5175	10 m3/30min	
1/31/2023	0:59:27	5174	20 m3/30min	40 m3/hour
1/31/2023	0:29:22	5172	20 m3/30min	
1/30/2023	23:59:15	5170	20 m3/30min	50 m3/hour
1/30/2023	23:29:08	5168	30 m3/30min	
1/30/2023	22:59:02	5165	20 m3/30min	40 m3/hour
1/30/2023	22:28:55	5163	20 m3/30min	
1/30/2023	21:58:49	5161	20 m3/30min	40 m3/hour
1/30/2023	21:28:42	5159	20 m3/30min	
1/30/2023	20:58:36	5157	30 m3/30min	50 m3/hour

1/30/2023	20:28:29	5154	20 m3/30min	
1/30/2023	19:58:23	5152	20 m3/30min	40 m3/hour
1/30/2023	19:28:16	5150	20 m3/30min	
1/30/2023	18:58:10	5148	20 m3/30min	40 m3/hour
1/30/2023	18:28:03	5146	20 m3/30min	
1/30/2023	17:57:56	5144	20 m3/30min	40 m3/hour
1/30/2023	17:27:50	5142	20 m3/30min	
1/30/2023	16:57:43	5140	10 m3/30min	30 m3/hour
1/30/2023	16:27:37	5139	20 m3/30min	
1/30/2023	15:57:30	5137	20 m3/30min	40 m3/hour
1/30/2023	15:27:23	5135	20 m3/30min	
1/30/2023	14:57:17	5133	20 m3/30min	40 m3/hour
1/30/2023	14:27:10	5131	20 m3/30min	
1/30/2023	13:57:03	5129	20 m3/30min	40 m3/hour
1/30/2023	13:26:57	5127	20 m3/30min	
1/30/2023	12:56:50	5125	20 m3/30min	40 m3/hour
1/30/2023	12:26:43	5123	20 m3/30min	
1/30/2023	11:56:37	5121	20 m3/30min	30 m3/hour
1/30/2023	11:26:30	5119	10 m3/30min	
1/30/2023	10:56:24	5118	20 m3/30min	30 m3/hour
1/30/2023	10:26:17	5116	10 m3/30min	
1/30/2023	9:56:10	5115	10 m3/30min	30 m3/hour
1/30/2023	9:26:03	5114	20 m3/30min	
1/30/2023	8:55:57	5112	10 m3/30min	20 m3/hour
1/30/2023	8:25:50	5111	10 m3/30min	
1/30/2023	7:55:43	5110	20 m3/30min	40 m3/hour
1/30/2023	7:25:37	5108	20 m3/30min	
1/30/2023	6:55:30	5106	10 m3/30min	30 m3/hour
1/30/2023	6:25:23	5105	20 m3/30min	
1/30/2023	5:55:17	5103	10 m3/30min	30 m3/hour
1/30/2023	5:25:10	5102	20 m3/30min	
1/30/2023	4:55:04	5100	10 m3/30min	30 m3/hour
1/30/2023	4:24:57	5099	20 m3/30min	
1/30/2023	3:54:50	5097	20 m3/30min	30 m3/hour
1/30/2023	3:24:44	5095	10 m3/30min	
1/30/2023	2:54:40	5094	10 m3/30min	20 m3/hour
1/30/2023	2:24:33	5093	10 m3/30min	
1/30/2023	1:54:27	5092	20 m3/30min	30 m3/hour
1/30/2023	1:24:20	5090	10 m3/30min	
1/30/2023	0:54:14	5089	10 m3/30min	30 m3/hour
1/30/2023	0:24:07	5088	20 m3/30min	
1/29/2023	23:54:00	5086	20 m3/30min	30 m3/hour
1/29/2023	23:23:54	5084	10 m3/30min	
1/29/2023	22:53:47	5083	20 m3/30min	40 m3/hour

1/29/2023	22:23:40	5081	20 m3/30min	
1/29/2023	21:53:34	5079	10 m3/30min	30 m3/hour
1/29/2023	21:23:27	5078	20 m3/30min	
1/29/2023	20:53:20	5076	20 m3/30min	40 m3/hour
1/29/2023	20:23:14	5074	20 m3/30min	
1/29/2023	19:53:07	5072	20 m3/30min	40 m3/hour
1/29/2023	19:23:00	5070	20 m3/30min	
1/29/2023	18:52:54	5068	20 m3/30min	40 m3/hour
1/29/2023	18:22:47	5066	20 m3/30min	
1/29/2023	17:52:41	5064	20 m3/30min	30 m3/hour
1/29/2023	17:22:34	5062	10 m3/30min	
1/29/2023	16:52:28	5061	20 m3/30min	40 m3/hour
1/29/2023	16:22:21	5059	20 m3/30min	
1/29/2023	15:52:14	5057	20 m3/30min	40 m3/hour
1/29/2023	15:22:08	5055	20 m3/30min	
1/29/2023	14:52:01	5053	20 m3/30min	40 m3/hour
1/29/2023	14:21:54	5051	20 m3/30min	
1/29/2023	13:51:48	5049	20 m3/30min	40 m3/hour
1/29/2023	13:21:41	5047	20 m3/30min	
1/29/2023	12:51:35	5045	20 m3/30min	30 m3/hour
1/29/2023	12:21:28	5043	10 m3/30min	
1/29/2023	11:51:22	5042	20 m3/30min	40 m3/hour
1/29/2023	11:21:15	5040	20 m3/30min	
1/29/2023	10:51:08	5038	20 m3/30min	30 m3/hour
1/29/2023	10:21:03	5036	10 m3/30min	
1/29/2023	9:50:57	5035	10 m3/30min	30 m3/hour
1/29/2023	9:20:50	5034	20 m3/30min	
1/29/2023	8:50:44	5032	10 m3/30min	30 m3/hour
1/29/2023	8:20:37	5031	20 m3/30min	
1/29/2023	7:50:30	5029	20 m3/30min	30 m3/hour
1/29/2023	7:20:23	5027	10 m3/30min	
1/29/2023	6:50:17	5026	20 m3/30min	40 m3/hour
1/29/2023	6:20:10	5024	20 m3/30min	
1/29/2023	5:50:03	5022	10 m3/30min	30 m3/hour
1/29/2023	5:19:57	5021	20 m3/30min	
1/29/2023	4:49:50	5019	10 m3/30min	30 m3/hour
1/29/2023	4:19:43	5018	20 m3/30min	
1/29/2023	3:49:37	5016	10 m3/30min	30 m3/hour
1/29/2023	3:19:30	5015	20 m3/30min	
1/29/2023	2:49:24	5013	10 m3/30min	20 m3/hour
1/29/2023	2:19:17	5012	10 m3/30min	
1/29/2023	1:49:10	5011	20 m3/30min	30 m3/hour
1/29/2023	1:19:04	5009	10 m3/30min	
1/29/2023	0:48:57	5008	20 m3/30min	40 m3/hour

1/29/2023	0:18:50	5006	20 m3/30min	
1/28/2023	23:48:44	5004	20 m3/30min	50 m3/hour
1/28/2023	23:18:37	5002	30 m3/30min	
1/28/2023	22:48:31	4999	20 m3/30min	40 m3/hour
1/28/2023	22:18:26	4997	20 m3/30min	
1/28/2023	21:48:20	4995	20 m3/30min	40 m3/hour
1/28/2023	21:18:13	4993	20 m3/30min	
1/28/2023	20:48:06	4991	20 m3/30min	30 m3/hour
1/28/2023	20:17:59	4989	10 m3/30min	
1/28/2023	19:47:53	4988	20 m3/30min	30 m3/hour
1/28/2023	19:17:46	4986	10 m3/30min	
1/28/2023	18:47:39	4985	20 m3/30min	40 m3/hour
1/28/2023	18:17:33	4983	20 m3/30min	
1/28/2023	17:47:26	4981	20 m3/30min	40 m3/hour
1/28/2023	17:17:20	4979	20 m3/30min	
1/28/2023	16:47:13	4977	20 m3/30min	40 m3/hour
1/28/2023	16:17:06	4975	20 m3/30min	
1/28/2023	15:47:00	4973	20 m3/30min	40 m3/hour
1/28/2023	15:16:53	4971	20 m3/30min	
1/28/2023	14:46:46	4969	10 m3/30min	30 m3/hour
1/28/2023	14:16:40	4968	20 m3/30min	
1/28/2023	13:46:33	4966	20 m3/30min	40 m3/hour
1/28/2023	13:16:27	4964	20 m3/30min	
1/28/2023	12:46:20	4962	10 m3/30min	20 m3/hour
1/28/2023	12:16:13	4961	10 m3/30min	
1/28/2023	11:46:07	4960	10 m3/30min	30 m3/hour
1/28/2023	11:16:00	4959	20 m3/30min	
1/28/2023	10:45:53	4957	20 m3/30min	40 m3/hour
1/28/2023	10:15:47	4955	20 m3/30min	
1/28/2023	9:45:40	4953	10 m3/30min	30 m3/hour
1/28/2023	9:15:33	4952	20 m3/30min	
1/28/2023	8:45:27	4950	10 m3/30min	20 m3/hour
1/28/2023	8:15:20	4949	10 m3/30min	
1/28/2023	7:45:13	4948	20 m3/30min	40 m3/hour
1/28/2023	7:15:07	4946	20 m3/30min	
1/28/2023	6:45:00	4944	20 m3/30min	40 m3/hour
1/28/2023	6:14:54	4942	20 m3/30min	
1/28/2023	5:44:47	4940	30 m3/30min	40 m3/hour
1/28/2023	5:14:40	4937	10 m3/30min	
1/28/2023	4:44:34	4936	20 m3/30min	30 m3/hour
1/28/2023	4:14:27	4934	10 m3/30min	
1/28/2023	3:44:20	4933	20 m3/30min	30 m3/hour
1/28/2023	3:14:14	4931	10 m3/30min	
1/28/2023	2:44:07	4930	30 m3/30min	50 m3/hour

1/28/2023	2:14:01	4927	20 m3/30min	
1/28/2023	1:43:54	4925	20 m3/30min	40 m3/hour
1/28/2023	1:13:47	4923	20 m3/30min	
1/28/2023	0:43:41	4921	30 m3/30min	50 m3/hour
1/28/2023	0:13:34	4918	20 m3/30min	
1/27/2023	23:43:27	4916	20 m3/30min	40 m3/hour
1/27/2023	23:13:21	4914	20 m3/30min	
1/27/2023	22:43:14	4912	20 m3/30min	40 m3/hour
1/27/2023	22:13:09	4910	20 m3/30min	
1/27/2023	21:43:03	4908	20 m3/30min	50 m3/hour
1/27/2023	21:12:56	4906	30 m3/30min	
1/27/2023	20:42:49	4903	10 m3/30min	30 m3/hour
1/27/2023	20:12:42	4902	20 m3/30min	
1/27/2023	19:42:36	4900	20 m3/30min	40 m3/hour
1/27/2023	19:12:29	4898	20 m3/30min	
1/27/2023	18:42:22	4896	20 m3/30min	30 m3/hour
1/27/2023	18:12:16	4894	10 m3/30min	
1/27/2023	17:42:09	4893	20 m3/30min	30 m3/hour
1/27/2023	17:12:02	4891	10 m3/30min	
1/27/2023	16:41:56	4890	20 m3/30min	30 m3/hour
1/27/2023	16:11:49	4888	10 m3/30min	
1/27/2023	15:41:43	4887	20 m3/30min	30 m3/hour
1/27/2023	15:11:36	4885	10 m3/30min	
1/27/2023	14:41:29	4884	10 m3/30min	30 m3/hour
1/27/2023	14:11:23	4883	20 m3/30min	
1/27/2023	13:41:16	4881	10 m3/30min	20 m3/hour
1/27/2023	13:11:09	4880	10 m3/30min	
1/27/2023	12:41:03	4879	10 m3/30min	20 m3/hour
1/27/2023	12:10:56	4878	10 m3/30min	
1/27/2023	11:40:50	4877	10 m3/30min	20 m3/hour
1/27/2023	11:10:43	4876	10 m3/30min	
1/27/2023	10:40:36	4875	10 m3/30min	30 m3/hour
1/27/2023	10:10:30	4874	20 m3/30min	
1/27/2023	9:40:24	4872	20 m3/30min	30 m3/hour
1/27/2023	9:10:17	4870	10 m3/30min	
1/27/2023	8:40:11	4869	20 m3/30min	30 m3/hour
1/27/2023	8:10:04	4867	10 m3/30min	
1/27/2023	7:39:57	4866	20 m3/30min	30 m3/hour
1/27/2023	7:09:51	4864	10 m3/30min	
1/27/2023	6:39:44	4863	20 m3/30min	30 m3/hour
1/27/2023	6:09:37	4861	10 m3/30min	
1/27/2023	5:39:31	4860	m3/30min	m3/hour
1/27/2023	5:09:24	4860	m3/30min	
1/27/2023	4:39:18	4860	m3/30min	10 m3/hour

1/27/2023	4:09:11	4860	10 m3/30min	
1/27/2023	3:39:05	4859	10 m3/30min	20 m3/hour
1/27/2023	3:08:58	4858	10 m3/30min	
1/27/2023	2:38:51	4857	20 m3/30min	40 m3/hour
1/27/2023	2:08:45	4855	20 m3/30min	
1/27/2023	1:38:38	4853	20 m3/30min	40 m3/hour
1/27/2023	1:08:32	4851	20 m3/30min	
1/27/2023	0:38:25	4849	20 m3/30min	40 m3/hour
1/27/2023	0:08:18	4847	20 m3/30min	
1/26/2023	23:38:12	4845	20 m3/30min	40 m3/hour
1/26/2023	23:08:05	4843	20 m3/30min	
1/26/2023	22:37:59	4841	20 m3/30min	40 m3/hour
1/26/2023	22:07:52	4839	20 m3/30min	
1/26/2023	21:37:45	4837	20 m3/30min	40 m3/hour
1/26/2023	21:07:39	4835	20 m3/30min	
1/26/2023	20:37:32	4833	10 m3/30min	20 m3/hour
1/26/2023	20:07:25	4832	10 m3/30min	
1/26/2023	19:37:19	4831	10 m3/30min	20 m3/hour
1/26/2023	19:07:12	4830	10 m3/30min	
1/26/2023	18:37:06	4829	20 m3/30min	40 m3/hour
1/26/2023	18:06:59	4827	20 m3/30min	
1/26/2023	17:36:52	4825	20 m3/30min	40 m3/hour
1/26/2023	17:06:46	4823	20 m3/30min	
1/26/2023	16:36:39	4821	10 m3/30min	30 m3/hour
1/26/2023	16:06:32	4820	20 m3/30min	
1/26/2023	15:36:26	4818	20 m3/30min	30 m3/hour
1/26/2023	15:06:19	4816	10 m3/30min	
1/26/2023	14:36:13	4815	20 m3/30min	40 m3/hour
1/26/2023	14:06:06	4813	20 m3/30min	
1/26/2023	13:35:59	4811	10 m3/30min	30 m3/hour
1/26/2023	13:05:53	4810	20 m3/30min	
1/26/2023	12:35:46	4808	10 m3/30min	10 m3/hour
1/26/2023	12:05:39	4807	m3/30min	
1/26/2023	11:35:33	4807	10 m3/30min	20 m3/hour
1/26/2023	11:05:26	4806	10 m3/30min	
1/26/2023	10:35:19	4805	20 m3/30min	40 m3/hour
1/26/2023	10:05:13	4803	20 m3/30min	
1/26/2023	9:35:07	4801	20 m3/30min	40 m3/hour
1/26/2023	9:05:00	4799	20 m3/30min	
1/26/2023	8:34:54	4797	20 m3/30min	40 m3/hour
1/26/2023	8:04:47	4795	20 m3/30min	
1/26/2023	7:34:40	4793	20 m3/30min	40 m3/hour
1/26/2023	7:04:33	4791	20 m3/30min	
1/26/2023	6:34:27	4789	30 m3/30min	50 m3/hour

1/26/2023	6:04:20	4786	20 m3/30min	
1/26/2023	5:34:13	4784	20 m3/30min	40 m3/hour
1/26/2023	5:04:07	4782	20 m3/30min	
1/26/2023	4:34:00	4780	10 m3/30min	30 m3/hour
1/26/2023	4:03:54	4779	20 m3/30min	
1/26/2023	3:33:47	4777	10 m3/30min	20 m3/hour
1/26/2023	3:03:40	4776	10 m3/30min	
1/26/2023	2:33:34	4775	20 m3/30min	40 m3/hour
1/26/2023	2:03:27	4773	20 m3/30min	
1/26/2023	1:33:20	4771	20 m3/30min	40 m3/hour
1/26/2023	1:03:14	4769	20 m3/30min	
1/26/2023	0:33:07	4767	20 m3/30min	40 m3/hour
1/26/2023	0:03:01	4765	20 m3/30min	
1/25/2023	23:32:54	4763	20 m3/30min	40 m3/hour
1/25/2023	23:02:47	4761	20 m3/30min	
1/25/2023	22:32:41	4759	20 m3/30min	40 m3/hour
1/25/2023	22:02:34	4757	20 m3/30min	
1/25/2023	21:32:28	4755	20 m3/30min	40 m3/hour
1/25/2023	21:02:22	4753	20 m3/30min	
1/25/2023	20:32:15	4751	10 m3/30min	20 m3/hour
1/25/2023	20:02:09	4750	10 m3/30min	
1/25/2023	19:32:02	4749	10 m3/30min	20 m3/hour
1/25/2023	19:01:56	4748	10 m3/30min	
1/25/2023	18:31:48	4747	10 m3/30min	30 m3/hour
1/25/2023	18:01:41	4746	20 m3/30min	
1/25/2023	17:31:34	4744	20 m3/30min	40 m3/hour
1/25/2023	17:01:28	4742	20 m3/30min	
1/25/2023	16:31:21	4740	20 m3/30min	30 m3/hour
1/25/2023	16:01:14	4738	10 m3/30min	
1/25/2023	15:31:08	4737	10 m3/30min	30 m3/hour
1/25/2023	15:01:01	4736	20 m3/30min	
1/25/2023	14:30:54	4734	10 m3/30min	30 m3/hour
1/25/2023	14:00:48	4733	20 m3/30min	
1/25/2023	13:30:41	4731	10 m3/30min	30 m3/hour
1/25/2023	13:00:35	4730	20 m3/30min	
1/25/2023	12:30:28	4728	m3/30min	10 m3/hour
1/25/2023	12:00:21	4728	10 m3/30min	
1/25/2023	11:30:15	4727	m3/30min	10 m3/hour
1/25/2023	11:00:08	4727	10 m3/30min	
1/25/2023	10:30:01	4726	20 m3/30min	40 m3/hour
1/25/2023	9:59:55	4724	20 m3/30min	
1/25/2023	9:29:48	4722	20 m3/30min	30 m3/hour
1/25/2023	8:59:44	4720	10 m3/30min	
1/25/2023	8:29:37	4719	20 m3/30min	40 m3/hour

1/25/2023	7:59:30	4717	20 m3/30min	
1/25/2023	7:29:24	4715	10 m3/30min	30 m3/hour
1/25/2023	6:59:17	4714	20 m3/30min	
1/25/2023	6:29:08	4712	20 m3/30min	40 m3/hour
1/25/2023	5:59:01	4710	20 m3/30min	
1/25/2023	5:28:55	4708	20 m3/30min	40 m3/hour
1/25/2023	4:58:48	4706	20 m3/30min	
1/25/2023	4:28:42	4704	10 m3/30min	20 m3/hour
1/25/2023	3:58:35	4703	10 m3/30min	
1/25/2023	3:28:28	4702	10 m3/30min	20 m3/hour
1/25/2023	2:58:22	4701	10 m3/30min	
1/25/2023	2:28:17	4700	20 m3/30min	30 m3/hour
1/25/2023	1:58:10	4698	10 m3/30min	
1/25/2023	1:28:04	4697	20 m3/30min	30 m3/hour
1/25/2023	0:57:57	4695	10 m3/30min	
1/25/2023	0:27:50	4694	20 m3/30min	40 m3/hour
1/24/2023	23:57:43	4692	20 m3/30min	
1/24/2023	23:27:37	4690	10 m3/30min	30 m3/hour
1/24/2023	22:57:30	4689	20 m3/30min	
1/24/2023	22:27:23	4687	m3/30min	10 m3/hour
1/24/2023	21:57:17	4687	10 m3/30min	
1/24/2023	21:27:10	4686	10 m3/30min	20 m3/hour
1/24/2023	20:57:03	4685	10 m3/30min	
1/24/2023	20:26:57	4684	10 m3/30min	30 m3/hour
1/24/2023	19:56:50	4683	20 m3/30min	
1/24/2023	19:26:43	4681	10 m3/30min	20 m3/hour
1/24/2023	18:56:37	4680	10 m3/30min	
1/24/2023	18:26:30	4679	20 m3/30min	30 m3/hour
1/24/2023	17:56:23	4677	10 m3/30min	
1/24/2023	17:26:17	4676	20 m3/30min	30 m3/hour
1/24/2023	16:56:10	4674	10 m3/30min	
1/24/2023	16:26:03	4673	20 m3/30min	30 m3/hour
1/24/2023	15:55:54	4671	10 m3/30min	
1/24/2023	15:25:48	4670	20 m3/30min	30 m3/hour
1/24/2023	14:55:41	4668	10 m3/30min	
1/24/2023	14:25:35	4667	m3/30min	20 m3/hour
1/24/2023	13:55:28	4667	20 m3/30min	
1/24/2023	13:25:22	4665	10 m3/30min	20 m3/hour
1/24/2023	12:55:16	4664	10 m3/30min	
1/24/2023	12:25:09	4663	20 m3/30min	40 m3/hour
1/24/2023	11:55:02	4661	20 m3/30min	
1/24/2023	11:24:56	4659	20 m3/30min	40 m3/hour
1/24/2023	10:54:49	4657	20 m3/30min	
1/24/2023	10:24:42	4655	10 m3/30min	30 m3/hour

1/24/2023	9:54:36	4654	20 m3/30min	
1/24/2023	9:24:29	4652	20 m3/30min	40 m3/hour
1/24/2023	8:54:23	4650	20 m3/30min	
1/24/2023	8:24:16	4648	20 m3/30min	40 m3/hour
1/24/2023	7:54:09	4646	20 m3/30min	
1/24/2023	7:24:03	4644	20 m3/30min	30 m3/hour
1/24/2023	6:53:56	4642	10 m3/30min	
1/24/2023	6:23:50	4641	10 m3/30min	30 m3/hour
1/24/2023	5:53:43	4640	20 m3/30min	
1/24/2023	5:23:36	4638	10 m3/30min	20 m3/hour
1/24/2023	4:53:30	4637	10 m3/30min	
1/24/2023	4:23:23	4636	10 m3/30min	30 m3/hour
1/24/2023	3:53:17	4635	20 m3/30min	
1/24/2023	3:23:10	4633	10 m3/30min	30 m3/hour
1/24/2023	2:53:03	4632	20 m3/30min	
1/24/2023	2:22:57	4630	10 m3/30min	30 m3/hour
1/24/2023	1:52:50	4629	20 m3/30min	
1/24/2023	1:22:43	4627	10 m3/30min	30 m3/hour
1/24/2023	0:52:37	4626	20 m3/30min	
1/24/2023	0:22:30	4624	10 m3/30min	30 m3/hour
1/23/2023	23:52:23	4623	20 m3/30min	
1/23/2023	23:22:17	4621	10 m3/30min	20 m3/hour
1/23/2023	22:52:10	4620	10 m3/30min	
1/23/2023	22:22:03	4619	10 m3/30min	20 m3/hour
1/23/2023	21:51:57	4618	10 m3/30min	
1/23/2023	21:21:50	4617	10 m3/30min	20 m3/hour
1/23/2023	20:51:44	4616	10 m3/30min	
1/23/2023	20:21:37	4615	20 m3/30min	40 m3/hour
1/23/2023	19:51:30	4613	20 m3/30min	
1/23/2023	19:21:24	4611	30 m3/30min	50 m3/hour
1/23/2023	18:51:18	4608	20 m3/30min	
1/23/2023	18:21:11	4606	20 m3/30min	40 m3/hour
1/23/2023	17:51:05	4604	20 m3/30min	
1/23/2023	17:20:58	4602	20 m3/30min	40 m3/hour
1/23/2023	16:50:51	4600	20 m3/30min	
1/23/2023	16:20:45	4598	30 m3/30min	50 m3/hour
1/23/2023	15:50:38	4595	20 m3/30min	
1/23/2023	15:20:31	4593	20 m3/30min	40 m3/hour
1/23/2023	14:50:25	4591	20 m3/30min	
1/23/2023	14:20:18	4589	20 m3/30min	40 m3/hour
1/23/2023	13:50:12	4587	20 m3/30min	
1/23/2023	13:20:05	4585	30 m3/30min	50 m3/hour
1/23/2023	12:49:58	4582	20 m3/30min	
1/23/2023	12:19:52	4580	20 m3/30min	40 m3/hour

1/23/2023	11:49:46	4578	20 m3/30min	
1/23/2023	11:19:39	4576	20 m3/30min	40 m3/hour
1/23/2023	10:49:32	4574	20 m3/30min	
1/23/2023	10:19:26	4572	20 m3/30min	40 m3/hour
1/23/2023	9:49:19	4570	20 m3/30min	
1/23/2023	9:19:12	4568	20 m3/30min	40 m3/hour
1/23/2023	8:49:06	4566	20 m3/30min	
1/23/2023	8:18:59	4564	20 m3/30min	40 m3/hour
1/23/2023	7:48:52	4562	20 m3/30min	
1/23/2023	7:18:46	4560	20 m3/30min	40 m3/hour
1/23/2023	6:48:39	4558	20 m3/30min	
1/23/2023	6:18:32	4556	10 m3/30min	20 m3/hour
1/23/2023	5:48:25	4555	10 m3/30min	
1/23/2023	5:18:19	4554	10 m3/30min	20 m3/hour
1/23/2023	4:48:12	4553	10 m3/30min	
1/23/2023	4:18:05	4552	20 m3/30min	40 m3/hour
1/23/2023	3:47:59	4550	20 m3/30min	
1/23/2023	3:17:52	4548	20 m3/30min	30 m3/hour
1/23/2023	2:47:46	4546	10 m3/30min	
1/23/2023	2:17:39	4545	20 m3/30min	40 m3/hour
1/23/2023	1:47:32	4543	20 m3/30min	
1/23/2023	1:17:26	4541	10 m3/30min	30 m3/hour
1/23/2023	0:47:19	4540	20 m3/30min	
1/23/2023	0:17:12	4538	20 m3/30min	30 m3/hour
1/22/2023	23:47:06	4536	10 m3/30min	
1/22/2023	23:17:02	4535	20 m3/30min	30 m3/hour
1/22/2023	22:46:55	4533	10 m3/30min	
1/22/2023	22:16:49	4532	10 m3/30min	10 m3/hour
1/22/2023	21:46:42	4531	m3/30min	
1/22/2023	21:16:35	4531	10 m3/30min	30 m3/hour
1/22/2023	20:46:29	4530	20 m3/30min	
1/22/2023	20:16:22	4528	20 m3/30min	40 m3/hour
1/22/2023	19:46:15	4526	20 m3/30min	
1/22/2023	19:16:09	4524	20 m3/30min	40 m3/hour
1/22/2023	18:46:04	4522	20 m3/30min	
1/22/2023	18:15:57	4520	20 m3/30min	50 m3/hour
1/22/2023	17:45:51	4518	30 m3/30min	
1/22/2023	17:15:44	4515	20 m3/30min	40 m3/hour
1/22/2023	16:45:37	4513	20 m3/30min	
1/22/2023	16:15:31	4511	20 m3/30min	50 m3/hour
1/22/2023	15:45:24	4509	30 m3/30min	
1/22/2023	15:15:17	4506	20 m3/30min	40 m3/hour
1/22/2023	14:45:11	4504	20 m3/30min	
1/22/2023	14:15:04	4502	20 m3/30min	40 m3/hour

1/22/2023	13:44:57	4500	20 m3/30min	
1/22/2023	13:14:51	4498	30 m3/30min	50 m3/hour
1/22/2023	12:44:44	4495	20 m3/30min	
1/22/2023	12:14:38	4493	20 m3/30min	40 m3/hour
1/22/2023	11:44:31	4491	20 m3/30min	
1/22/2023	11:14:24	4489	20 m3/30min	40 m3/hour
1/22/2023	10:44:18	4487	20 m3/30min	
1/22/2023	10:14:11	4485	20 m3/30min	50 m3/hour
1/22/2023	9:44:04	4483	30 m3/30min	
1/22/2023	9:13:58	4480	20 m3/30min	40 m3/hour
1/22/2023	8:43:51	4478	20 m3/30min	
1/22/2023	8:13:45	4476	20 m3/30min	40 m3/hour
1/22/2023	7:43:40	4474	20 m3/30min	
1/22/2023	7:13:33	4472	20 m3/30min	40 m3/hour
1/22/2023	6:43:27	4470	20 m3/30min	
1/22/2023	6:13:20	4468	30 m3/30min	40 m3/hour
1/22/2023	5:43:14	4465	10 m3/30min	
1/22/2023	5:13:07	4464	20 m3/30min	30 m3/hour
1/22/2023	4:43:00	4462	10 m3/30min	
1/22/2023	4:12:54	4461	20 m3/30min	40 m3/hour
1/22/2023	3:42:47	4459	20 m3/30min	
1/22/2023	3:12:40	4457	20 m3/30min	40 m3/hour
1/22/2023	2:42:33	4455	20 m3/30min	
1/22/2023	2:12:30	4453	20 m3/30min	40 m3/hour
1/22/2023	1:42:23	4451	20 m3/30min	
1/22/2023	1:12:16	4449	20 m3/30min	40 m3/hour
1/22/2023	0:42:10	4447	20 m3/30min	
1/22/2023	0:12:03	4445	20 m3/30min	40 m3/hour
1/21/2023	23:41:56	4443	20 m3/30min	
1/21/2023	23:11:50	4441	10 m3/30min	20 m3/hour
1/21/2023	22:41:43	4440	10 m3/30min	
1/21/2023	22:11:37	4439	10 m3/30min	20 m3/hour
1/21/2023	21:41:30	4438	10 m3/30min	
1/21/2023	21:11:23	4437	m3/30min	20 m3/hour
1/21/2023	20:41:17	4437	20 m3/30min	
1/21/2023	20:11:10	4435	10 m3/30min	30 m3/hour
1/21/2023	19:41:04	4434	20 m3/30min	
1/21/2023	19:10:57	4432	20 m3/30min	30 m3/hour
1/21/2023	18:40:51	4430	10 m3/30min	
1/21/2023	18:10:44	4429	20 m3/30min	30 m3/hour
1/21/2023	17:40:38	4427	10 m3/30min	
1/21/2023	17:10:31	4426	20 m3/30min	40 m3/hour
1/21/2023	16:40:25	4424	20 m3/30min	
1/21/2023	16:10:18	4422	10 m3/30min	30 m3/hour

1/21/2023	15:40:11	4421	20 m3/30min	
1/21/2023	15:10:05	4419	10 m3/30min	20 m3/hour
1/21/2023	14:39:58	4418	10 m3/30min	
1/21/2023	14:09:51	4417	m3/30min	10 m3/hour
1/21/2023	13:39:45	4417	10 m3/30min	
1/21/2023	13:09:38	4416	20 m3/30min	30 m3/hour
1/21/2023	12:39:32	4414	10 m3/30min	
1/21/2023	12:09:25	4413	20 m3/30min	40 m3/hour
1/21/2023	11:39:18	4411	20 m3/30min	
1/21/2023	11:09:12	4409	20 m3/30min	40 m3/hour
1/21/2023	10:39:05	4407	20 m3/30min	
1/21/2023	10:08:58	4405	10 m3/30min	30 m3/hour
1/21/2023	9:38:52	4404	20 m3/30min	
1/21/2023	9:08:45	4402	20 m3/30min	40 m3/hour
1/21/2023	8:38:38	4400	20 m3/30min	
1/21/2023	8:08:32	4398	20 m3/30min	40 m3/hour
1/21/2023	7:38:25	4396	20 m3/30min	
1/21/2023	7:08:19	4394	10 m3/30min	30 m3/hour
1/21/2023	6:38:12	4393	20 m3/30min	
1/21/2023	6:08:05	4391	10 m3/30min	20 m3/hour
1/21/2023	5:37:59	4390	10 m3/30min	
1/21/2023	5:07:52	4389	20 m3/30min	30 m3/hour
1/21/2023	4:37:45	4387	10 m3/30min	
1/21/2023	4:07:39	4386	30 m3/30min	50 m3/hour
1/21/2023	3:37:32	4383	20 m3/30min	
1/21/2023	3:07:26	4381	20 m3/30min	40 m3/hour
1/21/2023	2:37:19	4379	20 m3/30min	
1/21/2023	2:07:13	4377	20 m3/30min	40 m3/hour
1/21/2023	1:37:06	4375	20 m3/30min	
1/21/2023	1:06:59	4373	10 m3/30min	30 m3/hour
1/21/2023	0:36:53	4372	20 m3/30min	
1/21/2023	0:06:44	4370	10 m3/30min	20 m3/hour
1/20/2023	23:36:37	4369	10 m3/30min	
1/20/2023	23:06:30	4368	10 m3/30min	20 m3/hour
1/20/2023	22:36:24	4367	10 m3/30min	
1/20/2023	22:06:17	4366	20 m3/30min	40 m3/hour
1/20/2023	21:36:10	4364	20 m3/30min	
1/20/2023	21:06:03	4362	10 m3/30min	30 m3/hour
1/20/2023	20:35:57	4361	20 m3/30min	
1/20/2023	20:05:50	4359	20 m3/30min	30 m3/hour
1/20/2023	19:35:43	4357	10 m3/30min	
1/20/2023	19:05:37	4356	20 m3/30min	40 m3/hour
1/20/2023	18:35:30	4354	20 m3/30min	
1/20/2023	18:05:24	4352	10 m3/30min	30 m3/hour

1/20/2023	17:35:17	4351	20 m3/30min	
1/20/2023	17:05:10	4349	20 m3/30min	30 m3/hour
1/20/2023	16:35:04	4347	10 m3/30min	
1/20/2023	16:04:57	4346	10 m3/30min	20 m3/hour
1/20/2023	15:34:50	4345	10 m3/30min	
1/20/2023	15:04:44	4344	10 m3/30min	20 m3/hour
1/20/2023	14:34:37	4343	10 m3/30min	
1/20/2023	14:04:31	4342	20 m3/30min	40 m3/hour
1/20/2023	13:34:24	4340	20 m3/30min	
1/20/2023	13:04:17	4338	10 m3/30min	30 m3/hour
1/20/2023	12:34:11	4337	20 m3/30min	
1/20/2023	12:04:04	4335	20 m3/30min	30 m3/hour
1/20/2023	11:33:57	4333	10 m3/30min	
1/20/2023	11:03:51	4332	20 m3/30min	40 m3/hour
1/20/2023	10:33:44	4330	20 m3/30min	
1/20/2023	10:03:37	4328	20 m3/30min	40 m3/hour
1/20/2023	9:33:31	4326	20 m3/30min	
1/20/2023	9:03:24	4324	20 m3/30min	30 m3/hour
1/20/2023	8:33:18	4322	10 m3/30min	
1/20/2023	8:03:11	4321	20 m3/30min	30 m3/hour
1/20/2023	7:33:04	4319	10 m3/30min	
1/20/2023	7:02:58	4318	10 m3/30min	30 m3/hour
1/20/2023	6:32:54	4317	20 m3/30min	
1/20/2023	6:02:47	4315	20 m3/30min	40 m3/hour
1/20/2023	5:32:40	4313	20 m3/30min	
1/20/2023	5:02:34	4311	30 m3/30min	50 m3/hour
1/20/2023	4:32:27	4308	20 m3/30min	
1/20/2023	4:02:20	4306	20 m3/30min	40 m3/hour
1/20/2023	3:32:14	4304	20 m3/30min	
1/20/2023	3:02:07	4302	20 m3/30min	40 m3/hour
1/20/2023	2:32:01	4300	20 m3/30min	
1/20/2023	2:01:54	4298	20 m3/30min	40 m3/hour
1/20/2023	1:31:47	4296	20 m3/30min	
1/20/2023	1:01:41	4294	20 m3/30min	30 m3/hour
1/20/2023	0:31:34	4292	10 m3/30min	
1/20/2023	0:01:29	4291	10 m3/30min	20 m3/hour
1/19/2023	23:31:23	4290	10 m3/30min	
1/19/2023	23:01:16	4289	10 m3/30min	20 m3/hour
1/19/2023	22:31:09	4288	10 m3/30min	
1/19/2023	22:01:03	4287	20 m3/30min	40 m3/hour
1/19/2023	21:30:56	4285	20 m3/30min	
1/19/2023	21:00:49	4283	20 m3/30min	30 m3/hour
1/19/2023	20:30:43	4281	10 m3/30min	
1/19/2023	20:00:36	4280	20 m3/30min	40 m3/hour

1/19/2023	19:30:29	4278	20 m3/30min	
1/19/2023	19:00:23	4276	10 m3/30min	30 m3/hour
1/19/2023	18:30:16	4275	20 m3/30min	
1/19/2023	18:00:10	4273	20 m3/30min	30 m3/hour
1/19/2023	17:30:04	4271	10 m3/30min	
1/19/2023	16:59:57	4270	20 m3/30min	20 m3/hour
1/19/2023	16:29:51	4268	m3/30min	
1/19/2023	15:59:44	4268	10 m3/30min	30 m3/hour
1/19/2023	15:29:37	4267	20 m3/30min	
1/19/2023	14:59:31	4265	10 m3/30min	30 m3/hour
1/19/2023	14:29:24	4264	20 m3/30min	
1/19/2023	13:59:17	4262	20 m3/30min	40 m3/hour
1/19/2023	13:29:11	4260	20 m3/30min	
1/19/2023	12:59:04	4258	20 m3/30min	40 m3/hour
1/19/2023	12:28:57	4256	20 m3/30min	
1/19/2023	11:58:51	4254	20 m3/30min	30 m3/hour
1/19/2023	11:28:44	4252	10 m3/30min	
1/19/2023	10:58:38	4251	20 m3/30min	40 m3/hour
1/19/2023	10:28:31	4249	20 m3/30min	
1/19/2023	9:58:24	4247	20 m3/30min	40 m3/hour
1/19/2023	9:28:18	4245	20 m3/30min	
1/19/2023	8:58:11	4243	20 m3/30min	30 m3/hour
1/19/2023	8:28:05	4241	10 m3/30min	
1/19/2023	7:57:58	4240	10 m3/30min	20 m3/hour
1/19/2023	7:27:51	4239	10 m3/30min	
1/19/2023	6:57:45	4238	10 m3/30min	30 m3/hour
1/19/2023	6:27:38	4237	20 m3/30min	
1/19/2023	5:57:31	4235	20 m3/30min	40 m3/hour
1/19/2023	5:27:25	4233	20 m3/30min	
1/19/2023	4:57:18	4231	20 m3/30min	40 m3/hour
1/19/2023	4:27:12	4229	20 m3/30min	
1/19/2023	3:57:05	4227	20 m3/30min	40 m3/hour
1/19/2023	3:26:58	4225	20 m3/30min	
1/19/2023	2:56:52	4223	10 m3/30min	30 m3/hour
1/19/2023	2:26:45	4222	20 m3/30min	
1/19/2023	1:56:39	4220	20 m3/30min	30 m3/hour
1/19/2023	1:26:32	4218	10 m3/30min	
1/19/2023	0:56:25	4217	20 m3/30min	30 m3/hour
1/19/2023	0:26:19	4215	10 m3/30min	
1/18/2023	23:56:12	4214	10 m3/30min	20 m3/hour
1/18/2023	23:26:06	4213	10 m3/30min	
1/18/2023	22:55:59	4212	30 m3/30min	50 m3/hour
1/18/2023	22:25:52	4209	20 m3/30min	
1/18/2023	21:55:46	4207	20 m3/30min	40 m3/hour

1/18/2023	21:25:39	4205	20 m3/30min	
1/18/2023	20:55:32	4203	20 m3/30min	50 m3/hour
1/18/2023	20:25:25	4201	30 m3/30min	
1/18/2023	19:55:19	4198	20 m3/30min	40 m3/hour
1/18/2023	19:25:12	4196	20 m3/30min	
1/18/2023	18:55:06	4194	20 m3/30min	40 m3/hour
1/18/2023	18:24:59	4192	20 m3/30min	
1/18/2023	17:54:52	4190	20 m3/30min	40 m3/hour
1/18/2023	17:24:46	4188	20 m3/30min	
1/18/2023	16:54:39	4186	20 m3/30min	30 m3/hour
1/18/2023	16:24:32	4184	10 m3/30min	
1/18/2023	15:54:26	4183	10 m3/30min	30 m3/hour
1/18/2023	15:24:19	4182	20 m3/30min	
1/18/2023	14:54:12	4180	10 m3/30min	30 m3/hour
1/18/2023	14:24:06	4179	20 m3/30min	
1/18/2023	13:53:59	4177	20 m3/30min	40 m3/hour
1/18/2023	13:23:55	4175	20 m3/30min	
1/18/2023	12:53:48	4173	20 m3/30min	30 m3/hour
1/18/2023	12:23:42	4171	10 m3/30min	
1/18/2023	11:53:35	4170	20 m3/30min	40 m3/hour
1/18/2023	11:23:28	4168	20 m3/30min	
1/18/2023	10:53:22	4166	20 m3/30min	40 m3/hour
1/18/2023	10:23:15	4164	20 m3/30min	
1/18/2023	9:53:08	4162	10 m3/30min	30 m3/hour
1/18/2023	9:23:02	4161	20 m3/30min	
1/18/2023	8:52:55	4159	20 m3/30min	30 m3/hour
1/18/2023	8:22:49	4157	10 m3/30min	
1/18/2023	7:52:42	4156	m3/30min	10 m3/hour
1/18/2023	7:22:35	4156	10 m3/30min	
1/18/2023	6:52:30	4155	20 m3/30min	40 m3/hour
1/18/2023	6:22:24	4153	20 m3/30min	
1/18/2023	5:52:17	4151	10 m3/30min	30 m3/hour
1/18/2023	5:22:10	4150	20 m3/30min	
1/18/2023	4:52:04	4148	10 m3/30min	30 m3/hour
1/18/2023	4:21:57	4147	20 m3/30min	
1/18/2023	3:51:51	4145	10 m3/30min	30 m3/hour
1/18/2023	3:21:44	4144	20 m3/30min	
1/18/2023	2:51:37	4142	m3/30min	10 m3/hour
1/18/2023	2:21:31	4142	10 m3/30min	
1/18/2023	1:51:24	4141	10 m3/30min	20 m3/hour
1/18/2023	1:21:17	4140	10 m3/30min	
1/18/2023	0:51:11	4139	10 m3/30min	20 m3/hour
1/18/2023	0:21:05	4138	10 m3/30min	
1/17/2023	23:50:58	4137	10 m3/30min	20 m3/hour

1/17/2023	23:20:52	4136	10 m3/30min	
1/17/2023	22:50:45	4135	10 m3/30min	30 m3/hour
1/17/2023	22:20:38	4134	20 m3/30min	
1/17/2023	21:50:32	4132	20 m3/30min	40 m3/hour
1/17/2023	21:20:25	4130	20 m3/30min	
1/17/2023	20:50:19	4128	20 m3/30min	40 m3/hour
1/17/2023	20:20:12	4126	20 m3/30min	
1/17/2023	19:50:05	4124	10 m3/30min	30 m3/hour
1/17/2023	19:19:59	4123	20 m3/30min	
1/17/2023	18:49:52	4121	20 m3/30min	40 m3/hour
1/17/2023	18:19:45	4119	20 m3/30min	
1/17/2023	17:49:40	4117	10 m3/30min	30 m3/hour
1/17/2023	17:19:33	4116	20 m3/30min	
1/17/2023	16:49:27	4114	10 m3/30min	30 m3/hour
1/17/2023	16:19:20	4113	20 m3/30min	
1/17/2023	15:49:13	4111	10 m3/30min	30 m3/hour
1/17/2023	15:19:07	4110	20 m3/30min	
1/17/2023	14:49:00	4108	20 m3/30min	40 m3/hour
1/17/2023	14:18:54	4106	20 m3/30min	
1/17/2023	13:48:47	4104	20 m3/30min	50 m3/hour
1/17/2023	13:18:40	4102	30 m3/30min	
1/17/2023	12:48:34	4099	20 m3/30min	40 m3/hour
1/17/2023	12:18:27	4097	20 m3/30min	
1/17/2023	11:48:21	4095	20 m3/30min	40 m3/hour
1/17/2023	11:18:15	4093	20 m3/30min	
1/17/2023	10:48:09	4091	30 m3/30min	50 m3/hour
1/17/2023	10:18:02	4088	20 m3/30min	
1/17/2023	9:47:55	4086	20 m3/30min	40 m3/hour
1/17/2023	9:17:49	4084	20 m3/30min	
1/17/2023	8:47:42	4082	20 m3/30min	30 m3/hour
1/17/2023	8:17:36	4080	10 m3/30min	
1/17/2023	7:47:29	4079	10 m3/30min	30 m3/hour
1/17/2023	7:17:22	4078	20 m3/30min	
1/17/2023	6:47:16	4076	10 m3/30min	40 m3/hour
1/17/2023	6:17:09	4075	30 m3/30min	
1/17/2023	5:47:02	4072	20 m3/30min	40 m3/hour
1/17/2023	5:16:56	4070	20 m3/30min	
1/17/2023	4:46:49	4068	20 m3/30min	40 m3/hour
1/17/2023	4:16:42	4066	20 m3/30min	
1/17/2023	3:46:36	4064	20 m3/30min	40 m3/hour
1/17/2023	3:16:29	4062	20 m3/30min	
1/17/2023	2:46:22	4060	20 m3/30min	40 m3/hour
1/17/2023	2:16:16	4058	20 m3/30min	
1/17/2023	1:46:09	4056	20 m3/30min	40 m3/hour

1/17/2023	1:16:02	4054	20 m3/30min	
1/17/2023	0:45:56	4052	20 m3/30min	40 m3/hour
1/17/2023	0:15:49	4050	20 m3/30min	
1/16/2023	23:45:43	4048	10 m3/30min	30 m3/hour
1/16/2023	23:15:36	4047	20 m3/30min	
1/16/2023	22:45:29	4045	20 m3/30min	30 m3/hour
1/16/2023	22:15:25	4043	10 m3/30min	
1/16/2023	21:45:19	4042	20 m3/30min	30 m3/hour
1/16/2023	21:15:12	4040	10 m3/30min	
1/16/2023	20:45:05	4039	10 m3/30min	20 m3/hour
1/16/2023	20:14:59	4038	10 m3/30min	
1/16/2023	19:44:52	4037	10 m3/30min	10 m3/hour
1/16/2023	19:14:45	4036	m3/30min	
1/16/2023	18:44:39	4036	10 m3/30min	20 m3/hour
1/16/2023	18:14:32	4035	10 m3/30min	
1/16/2023	17:44:26	4034	10 m3/30min	20 m3/hour
1/16/2023	17:14:19	4033	10 m3/30min	
1/16/2023	16:44:12	4032	10 m3/30min	20 m3/hour
1/16/2023	16:14:06	4031	10 m3/30min	
1/16/2023	15:43:59	4030	20 m3/30min	30 m3/hour
1/16/2023	15:13:52	4028	10 m3/30min	
1/16/2023	14:43:46	4027	20 m3/30min	30 m3/hour
1/16/2023	14:13:39	4025	10 m3/30min	
1/16/2023	13:43:33	4024	20 m3/30min	20 m3/hour
1/16/2023	13:13:26	4022	m3/30min	
1/16/2023	12:43:19	4022	10 m3/30min	20 m3/hour
1/16/2023	12:13:13	4021	10 m3/30min	
1/16/2023	11:43:06	4020	m3/30min	10 m3/hour
1/16/2023	11:13:02	4020	10 m3/30min	
1/16/2023	10:42:55	4019	m3/30min	10 m3/hour
1/16/2023	10:12:48	4019	10 m3/30min	
1/16/2023	9:42:41	4018	10 m3/30min	20 m3/hour
1/16/2023	9:12:35	4017	10 m3/30min	
1/16/2023	8:42:28	4016	20 m3/30min	50 m3/hour
1/16/2023	8:12:22	4014	30 m3/30min	
1/16/2023	7:42:15	4011	20 m3/30min	40 m3/hour
1/16/2023	7:12:09	4009	20 m3/30min	
1/16/2023	6:42:02	4007	20 m3/30min	50 m3/hour
1/16/2023	6:11:55	4005	30 m3/30min	
1/16/2023	5:41:49	4002	20 m3/30min	40 m3/hour
1/16/2023	5:11:42	4000	20 m3/30min	
1/16/2023	4:41:35	3998	20 m3/30min	40 m3/hour
1/16/2023	4:11:29	3996	20 m3/30min	
1/16/2023	3:41:22	3994	20 m3/30min	40 m3/hour

1/16/2023	3:11:16	3992	20 m3/30min	
1/16/2023	2:41:09	3990	20 m3/30min	30 m3/hour
1/16/2023	2:11:02	3988	10 m3/30min	
1/16/2023	1:40:56	3987	20 m3/30min	30 m3/hour
1/16/2023	1:10:49	3985	10 m3/30min	
1/16/2023	0:40:42	3984	20 m3/30min	40 m3/hour
1/16/2023	0:10:36	3982	20 m3/30min	
1/15/2023	23:40:29	3980	20 m3/30min	40 m3/hour
1/15/2023	23:10:26	3978	20 m3/30min	
1/15/2023	22:40:19	3976	20 m3/30min	40 m3/hour
1/15/2023	22:10:12	3974	20 m3/30min	
1/15/2023	21:40:06	3972	20 m3/30min	40 m3/hour
1/15/2023	21:09:59	3970	20 m3/30min	
1/15/2023	20:39:52	3968	20 m3/30min	40 m3/hour
1/15/2023	20:09:46	3966	20 m3/30min	
1/15/2023	19:39:39	3964	10 m3/30min	30 m3/hour
1/15/2023	19:09:32	3963	20 m3/30min	
1/15/2023	18:39:26	3961	10 m3/30min	20 m3/hour
1/15/2023	18:09:19	3960	10 m3/30min	
1/15/2023	17:39:12	3959	10 m3/30min	20 m3/hour
1/15/2023	17:09:06	3958	10 m3/30min	
1/15/2023	16:38:59	3957	20 m3/30min	40 m3/hour
1/15/2023	16:08:53	3955	20 m3/30min	
1/15/2023	15:38:46	3953	10 m3/30min	30 m3/hour
1/15/2023	15:08:40	3952	20 m3/30min	
1/15/2023	14:38:33	3950	20 m3/30min	30 m3/hour
1/15/2023	14:08:27	3948	10 m3/30min	
1/15/2023	13:38:20	3947	20 m3/30min	30 m3/hour
1/15/2023	13:08:13	3945	10 m3/30min	
1/15/2023	12:38:07	3944	10 m3/30min	20 m3/hour
1/15/2023	12:08:00	3943	10 m3/30min	
1/15/2023	11:37:54	3942	m3/30min	10 m3/hour
1/15/2023	11:07:47	3942	10 m3/30min	
1/15/2023	10:37:40	3941	10 m3/30min	10 m3/hour
1/15/2023	10:07:34	3940	m3/30min	
1/15/2023	9:37:27	3940	10 m3/30min	20 m3/hour
1/15/2023	9:07:21	3939	10 m3/30min	
1/15/2023	8:37:14	3938	20 m3/30min	40 m3/hour
1/15/2023	8:07:07	3936	20 m3/30min	
1/15/2023	7:37:01	3934	20 m3/30min	40 m3/hour
1/15/2023	7:06:54	3932	20 m3/30min	
1/15/2023	6:36:48	3930	20 m3/30min	30 m3/hour
1/15/2023	6:06:41	3928	10 m3/30min	
1/15/2023	5:36:34	3927	20 m3/30min	40 m3/hour

1/15/2023	5:06:28	3925	20 m3/30min	
1/15/2023	4:36:21	3923	10 m3/30min	20 m3/hour
1/15/2023	4:06:14	3922	10 m3/30min	
1/15/2023	3:36:08	3921	10 m3/30min	20 m3/hour
1/15/2023	3:06:01	3920	10 m3/30min	
1/15/2023	2:35:55	3919	10 m3/30min	20 m3/hour
1/15/2023	2:05:48	3918	10 m3/30min	
1/15/2023	1:35:42	3917	10 m3/30min	20 m3/hour
1/15/2023	1:05:35	3916	10 m3/30min	
1/15/2023	0:35:28	3915	20 m3/30min	30 m3/hour
1/15/2023	0:05:22	3913	10 m3/30min	
1/14/2023	23:35:15	3912	20 m3/30min	40 m3/hour
1/14/2023	23:05:08	3910	20 m3/30min	
1/14/2023	22:35:02	3908	20 m3/30min	40 m3/hour
1/14/2023	22:04:55	3906	20 m3/30min	
1/14/2023	21:34:48	3904	10 m3/30min	30 m3/hour
1/14/2023	21:04:42	3903	20 m3/30min	
1/14/2023	20:34:35	3901	20 m3/30min	40 m3/hour
1/14/2023	20:04:28	3899	20 m3/30min	
1/14/2023	19:34:22	3897	10 m3/30min	30 m3/hour
1/14/2023	19:04:15	3896	20 m3/30min	
1/14/2023	18:34:08	3894	10 m3/30min	10 m3/hour
1/14/2023	18:04:02	3893	m3/30min	
1/14/2023	17:33:55	3893	10 m3/30min	20 m3/hour
1/14/2023	17:03:48	3892	10 m3/30min	
1/14/2023	16:33:44	3891	20 m3/30min	50 m3/hour
1/14/2023	16:03:38	3889	30 m3/30min	
1/14/2023	15:33:31	3886	20 m3/30min	40 m3/hour
1/14/2023	15:03:24	3884	20 m3/30min	
1/14/2023	14:33:18	3882	20 m3/30min	40 m3/hour
1/14/2023	14:03:11	3880	20 m3/30min	
1/14/2023	13:33:05	3878	20 m3/30min	40 m3/hour
1/14/2023	13:02:58	3876	20 m3/30min	
1/14/2023	12:32:51	3874	20 m3/30min	40 m3/hour
1/14/2023	12:02:45	3872	20 m3/30min	
1/14/2023	11:32:38	3870	20 m3/30min	40 m3/hour
1/14/2023	11:02:31	3868	20 m3/30min	
1/14/2023	10:32:25	3866	10 m3/30min	20 m3/hour
1/14/2023	10:02:18	3865	10 m3/30min	
1/14/2023	9:32:11	3864	10 m3/30min	30 m3/hour
1/14/2023	9:02:05	3863	20 m3/30min	
1/14/2023	8:31:58	3861	10 m3/30min	30 m3/hour
1/14/2023	8:01:52	3860	20 m3/30min	
1/14/2023	7:31:45	3858	20 m3/30min	40 m3/hour

1/14/2023	7:01:38	3856	20 m3/30min	
1/14/2023	6:31:32	3854	20 m3/30min	40 m3/hour
1/14/2023	6:01:25	3852	20 m3/30min	
1/14/2023	5:31:19	3850	20 m3/30min	30 m3/hour
1/14/2023	5:01:12	3848	10 m3/30min	
1/14/2023	4:31:05	3847	10 m3/30min	20 m3/hour
1/14/2023	4:00:59	3846	10 m3/30min	
1/14/2023	3:30:52	3845	10 m3/30min	20 m3/hour
1/14/2023	3:00:45	3844	10 m3/30min	
1/14/2023	2:30:39	3843	10 m3/30min	20 m3/hour
1/14/2023	2:00:32	3842	10 m3/30min	
1/14/2023	1:30:25	3841	10 m3/30min	20 m3/hour
1/14/2023	1:00:19	3840	10 m3/30min	
1/14/2023	0:30:12	3839	20 m3/30min	30 m3/hour
1/14/2023	0:00:06	3837	10 m3/30min	
1/13/2023	23:29:59	3836	20 m3/30min	40 m3/hour
1/13/2023	22:59:52	3834	20 m3/30min	
1/13/2023	22:29:46	3832	10 m3/30min	30 m3/hour
1/13/2023	21:59:39	3831	20 m3/30min	
1/13/2023	21:29:33	3829	10 m3/30min	20 m3/hour
1/13/2023	20:59:26	3828	10 m3/30min	
1/13/2023	20:29:19	3827	10 m3/30min	20 m3/hour
1/13/2023	19:59:13	3826	10 m3/30min	
1/13/2023	19:29:06	3825	m3/30min	10 m3/hour
1/13/2023	18:58:59	3825	10 m3/30min	
1/13/2023	18:28:53	3824	10 m3/30min	10 m3/hour
1/13/2023	17:58:46	3823	m3/30min	
1/13/2023	17:28:39	3823	20 m3/30min	30 m3/hour
1/13/2023	16:58:33	3821	10 m3/30min	
1/13/2023	16:28:26	3820	20 m3/30min	40 m3/hour
1/13/2023	15:58:19	3818	20 m3/30min	
1/13/2023	15:28:13	3816	30 m3/30min	50 m3/hour
1/13/2023	14:58:07	3813	20 m3/30min	
1/13/2023	14:28:00	3811	20 m3/30min	40 m3/hour
1/13/2023	13:57:53	3809	20 m3/30min	
1/13/2023	13:27:47	3807	20 m3/30min	40 m3/hour
1/13/2023	12:57:40	3805	20 m3/30min	
1/13/2023	12:27:34	3803	20 m3/30min	30 m3/hour
1/13/2023	11:57:27	3801	10 m3/30min	
1/13/2023	11:27:20	3800	20 m3/30min	40 m3/hour
1/13/2023	10:57:14	3798	20 m3/30min	
1/13/2023	10:27:07	3796	10 m3/30min	20 m3/hour
1/13/2023	9:57:00	3795	10 m3/30min	
1/13/2023	9:26:54	3794	10 m3/30min	30 m3/hour

1/13/2023	8:56:50	3793	20 m3/30min	
1/13/2023	8:26:43	3791	20 m3/30min	40 m3/hour
1/13/2023	7:56:37	3789	20 m3/30min	
1/13/2023	7:26:29	3787	20 m3/30min	40 m3/hour
1/13/2023	6:56:22	3785	20 m3/30min	
1/13/2023	6:26:16	3783	20 m3/30min	30 m3/hour
1/13/2023	5:56:09	3781	10 m3/30min	
1/13/2023	5:26:02	3780	20 m3/30min	40 m3/hour
1/13/2023	4:55:56	3778	20 m3/30min	
1/13/2023	4:25:49	3776	20 m3/30min	40 m3/hour
1/13/2023	3:55:43	3774	20 m3/30min	
1/13/2023	3:25:36	3772	20 m3/30min	30 m3/hour
1/13/2023	2:55:29	3770	10 m3/30min	
1/13/2023	2:25:25	3769	10 m3/30min	20 m3/hour
1/13/2023	1:55:19	3768	10 m3/30min	
1/13/2023	1:25:12	3767	m3/30min	10 m3/hour
1/13/2023	0:55:05	3767	10 m3/30min	
1/13/2023	0:24:59	3766	20 m3/30min	40 m3/hour
1/12/2023	23:54:52	3764	20 m3/30min	
1/12/2023	23:24:45	3762	10 m3/30min	20 m3/hour
1/12/2023	22:54:39	3761	10 m3/30min	
1/12/2023	22:24:32	3760	10 m3/30min	20 m3/hour
1/12/2023	21:54:25	3759	10 m3/30min	
1/12/2023	21:24:19	3758	10 m3/30min	20 m3/hour
1/12/2023	20:54:12	3757	10 m3/30min	
1/12/2023	20:24:05	3756	m3/30min	10 m3/hour
1/12/2023	19:53:59	3756	10 m3/30min	
1/12/2023	19:23:52	3755	10 m3/30min	20 m3/hour
1/12/2023	18:53:46	3754	10 m3/30min	
1/12/2023	18:23:39	3753	20 m3/30min	40 m3/hour
1/12/2023	17:53:32	3751	20 m3/30min	
1/12/2023	17:23:26	3749	20 m3/30min	30 m3/hour
1/12/2023	16:53:19	3747	10 m3/30min	
1/12/2023	16:23:13	3746	20 m3/30min	30 m3/hour
1/12/2023	15:53:06	3744	10 m3/30min	
1/12/2023	15:22:59	3743	20 m3/30min	30 m3/hour
1/12/2023	14:52:52	3741	10 m3/30min	
1/12/2023	14:22:46	3740	10 m3/30min	10 m3/hour
1/12/2023	13:52:39	3739	m3/30min	
1/12/2023	13:22:32	3739	10 m3/30min	20 m3/hour
1/12/2023	12:52:26	3738	10 m3/30min	
1/12/2023	12:22:19	3737	m3/30min	10 m3/hour
1/12/2023	11:52:10	3737	10 m3/30min	
1/12/2023	11:22:04	3736	10 m3/30min	20 m3/hour

1/12/2023	10:51:57	3735	10 m3/30min	
1/12/2023	10:21:50	3734	10 m3/30min	30 m3/hour
1/12/2023	9:51:44	3733	20 m3/30min	
1/12/2023	9:21:37	3731	20 m3/30min	40 m3/hour
1/12/2023	8:51:30	3729	20 m3/30min	
1/12/2023	8:21:24	3727	20 m3/30min	40 m3/hour
1/12/2023	7:51:17	3725	20 m3/30min	
1/12/2023	7:21:10	3723	20 m3/30min	40 m3/hour
1/12/2023	6:51:04	3721	20 m3/30min	
1/12/2023	6:20:57	3719	20 m3/30min	40 m3/hour
1/12/2023	5:50:52	3717	20 m3/30min	
1/12/2023	5:20:45	3715	30 m3/30min	40 m3/hour
1/12/2023	4:50:38	3712	10 m3/30min	
1/12/2023	4:20:32	3711	20 m3/30min	30 m3/hour
1/12/2023	3:50:25	3709	10 m3/30min	
1/12/2023	3:20:18	3708	20 m3/30min	40 m3/hour
1/12/2023	2:50:11	3706	20 m3/30min	
1/12/2023	2:20:04	3704	20 m3/30min	50 m3/hour
1/12/2023	1:49:57	3702	30 m3/30min	
1/12/2023	1:19:51	3699	20 m3/30min	40 m3/hour
1/12/2023	0:49:44	3697	20 m3/30min	
1/12/2023	0:19:38	3695	20 m3/30min	50 m3/hour
1/11/2023	23:49:31	3693	30 m3/30min	
1/11/2023	23:19:25	3690	20 m3/30min	40 m3/hour
1/11/2023	22:49:18	3688	20 m3/30min	
1/11/2023	22:19:12	3686	20 m3/30min	40 m3/hour
1/11/2023	21:49:05	3684	20 m3/30min	
1/11/2023	21:18:58	3682	20 m3/30min	40 m3/hour
1/11/2023	20:48:52	3680	20 m3/30min	
1/11/2023	20:18:45	3678	10 m3/30min	20 m3/hour
1/11/2023	19:48:39	3677	10 m3/30min	
1/11/2023	19:18:32	3676	20 m3/30min	40 m3/hour
1/11/2023	18:48:25	3674	20 m3/30min	
1/11/2023	18:18:18	3672	20 m3/30min	40 m3/hour
1/11/2023	17:48:12	3670	20 m3/30min	
1/11/2023	17:18:05	3668	20 m3/30min	40 m3/hour
1/11/2023	16:47:58	3666	20 m3/30min	
1/11/2023	16:17:52	3664	20 m3/30min	40 m3/hour
1/11/2023	15:47:45	3662	20 m3/30min	
1/11/2023	15:17:38	3660	20 m3/30min	40 m3/hour
1/11/2023	14:47:32	3658	20 m3/30min	
1/11/2023	14:17:25	3656	20 m3/30min	40 m3/hour
1/11/2023	13:47:18	3654	20 m3/30min	
1/11/2023	13:17:12	3652	10 m3/30min	30 m3/hour

1/11/2023	12:47:05	3651	20 m3/30min	
1/11/2023	12:16:59	3649	10 m3/30min	20 m3/hour
1/11/2023	11:46:52	3648	10 m3/30min	
1/11/2023	11:16:45	3647	10 m3/30min	30 m3/hour
1/11/2023	10:46:38	3646	20 m3/30min	
1/11/2023	10:16:32	3644	20 m3/30min	30 m3/hour
1/11/2023	9:46:25	3642	10 m3/30min	
1/11/2023	9:16:18	3641	20 m3/30min	40 m3/hour
1/11/2023	8:46:11	3639	20 m3/30min	
1/11/2023	8:16:05	3637	10 m3/30min	30 m3/hour
1/11/2023	7:45:58	3636	20 m3/30min	
1/11/2023	7:15:52	3634	10 m3/30min	30 m3/hour
1/11/2023	6:45:45	3633	20 m3/30min	
1/11/2023	6:15:38	3631	10 m3/30min	20 m3/hour
1/11/2023	5:45:32	3630	10 m3/30min	
1/11/2023	5:15:25	3629	m3/30min	m3/hour
1/11/2023	4:45:18	3629	m3/30min	
1/11/2023	4:15:12	3629	m3/30min	m3/hour
1/11/2023	3:45:08	3629	m3/30min	
1/11/2023	3:15:01	3629	10 m3/30min	20 m3/hour
1/11/2023	2:44:55	3628	10 m3/30min	
1/11/2023	2:14:48	3627	20 m3/30min	40 m3/hour
1/11/2023	1:44:41	3625	20 m3/30min	
1/11/2023	1:14:35	3623	20 m3/30min	40 m3/hour
1/11/2023	0:44:28	3621	20 m3/30min	
1/11/2023	0:14:21	3619	20 m3/30min	40 m3/hour
1/10/2023	23:44:15	3617	20 m3/30min	
1/10/2023	23:14:08	3615	20 m3/30min	50 m3/hour
1/10/2023	22:44:01	3613	30 m3/30min	
1/10/2023	22:13:54	3610	20 m3/30min	40 m3/hour
1/10/2023	21:43:48	3608	20 m3/30min	
1/10/2023	21:13:41	3606	20 m3/30min	40 m3/hour
1/10/2023	20:43:35	3604	20 m3/30min	
1/10/2023	20:13:28	3602	10 m3/30min	20 m3/hour
1/10/2023	19:43:21	3601	10 m3/30min	
1/10/2023	19:13:15	3600	20 m3/30min	40 m3/hour
1/10/2023	18:43:08	3598	20 m3/30min	
1/10/2023	18:13:01	3596	20 m3/30min	50 m3/hour
1/10/2023	17:42:55	3594	30 m3/30min	
1/10/2023	17:12:48	3591	20 m3/30min	50 m3/hour
1/10/2023	16:42:42	3589	30 m3/30min	
1/10/2023	16:12:34	3586	30 m3/30min	50 m3/hour
1/10/2023	15:42:27	3583	20 m3/30min	
1/10/2023	15:12:20	3581	30 m3/30min	60 m3/hour

1/10/2023	14:42:14	3578	30 m3/30min	
1/10/2023	14:12:07	3575	20 m3/30min	50 m3/hour
1/10/2023	13:42:01	3573	30 m3/30min	
1/10/2023	13:11:54	3570	20 m3/30min	50 m3/hour
1/10/2023	12:41:47	3568	30 m3/30min	
1/10/2023	12:11:41	3565	30 m3/30min	50 m3/hour
1/10/2023	11:41:34	3562	20 m3/30min	
1/10/2023	11:11:27	3560	30 m3/30min	50 m3/hour
1/10/2023	10:41:21	3557	20 m3/30min	
1/10/2023	10:11:14	3555	20 m3/30min	50 m3/hour
1/10/2023	9:41:08	3553	30 m3/30min	
1/10/2023	9:11:01	3550	20 m3/30min	50 m3/hour
1/10/2023	8:40:54	3548	30 m3/30min	
1/10/2023	8:10:48	3545	20 m3/30min	40 m3/hour
1/10/2023	7:40:41	3543	20 m3/30min	
1/10/2023	7:10:34	3541	30 m3/30min	50 m3/hour
1/10/2023	6:40:28	3538	20 m3/30min	
1/10/2023	6:10:21	3536	20 m3/30min	50 m3/hour
1/10/2023	5:40:14	3534	30 m3/30min	
1/10/2023	5:10:08	3531	20 m3/30min	40 m3/hour
1/10/2023	4:40:01	3529	20 m3/30min	
1/10/2023	4:09:55	3527	10 m3/30min	20 m3/hour
1/10/2023	3:39:48	3526	10 m3/30min	
1/10/2023	3:09:41	3525	20 m3/30min	40 m3/hour
1/10/2023	2:39:35	3523	20 m3/30min	
1/10/2023	2:09:28	3521	20 m3/30min	50 m3/hour
1/10/2023	1:39:22	3519	30 m3/30min	
1/10/2023	1:09:15	3516	20 m3/30min	50 m3/hour
1/10/2023	0:39:09	3514	30 m3/30min	
1/10/2023	0:09:02	3511	20 m3/30min	40 m3/hour
1/9/2023	23:38:55	3509	20 m3/30min	
1/9/2023	23:08:49	3507	30 m3/30min	50 m3/hour
1/9/2023	22:38:42	3504	20 m3/30min	
1/9/2023	22:08:35	3502	20 m3/30min	40 m3/hour
1/9/2023	21:38:28	3500	20 m3/30min	
1/9/2023	21:08:22	3498	30 m3/30min	50 m3/hour
1/9/2023	20:38:15	3495	20 m3/30min	
1/9/2023	20:08:11	3493	20 m3/30min	40 m3/hour
1/9/2023	19:38:04	3491	20 m3/30min	
1/9/2023	19:07:57	3489	20 m3/30min	40 m3/hour
1/9/2023	18:37:51	3487	20 m3/30min	
1/9/2023	18:07:44	3485	10 m3/30min	30 m3/hour
1/9/2023	17:37:37	3484	20 m3/30min	
1/9/2023	17:07:31	3482	20 m3/30min	40 m3/hour

1/9/2023	16:37:24	3480	20 m3/30min	
1/9/2023	16:07:18	3478	20 m3/30min	30 m3/hour
1/9/2023	15:37:11	3476	10 m3/30min	
1/9/2023	15:07:04	3475	20 m3/30min	

Service Oriented Information Technology (Pty)Ltd

© Copyright 2020 - 2024. All rights reserved.

35 m3/hour

24 hour flow

2.20 ML/24 hour

10.10 ML/24 hour

10.40 ML/24 hour

10.10 ML/24 hour

8.80 ML/24 hour

8.10 ML/24 hour

9.40 ML/24 hour

8.90 ML/24 hour

8.40 ML/24 hour

8.20 ML/24 hour

8.80 ML/24 hour

7.10 ML/24 hour

8.20 ML/24 hour

7.30 ML/24 hour

6.90 ML/24 hour

8.60 ML/24 hour

9.40 ML/24 hour

7.30 ML/24 hour

7.90 ML/24 hour

7.50 ML/24 hour

7.70 ML/24 hour

8.90 ML/24 hour


6.80 ML/24 hour


6.80 ML/24 hour

7.60 ML/24 hour

7.40 ML/24 hour

7.20 ML/24 hour





7.50 ML/24 hour

10.80 ML/24 hour

8.08 ML/24 hour

ANNEXURE AA2

IN THE HIGH COURT OF SOUTH AFRICA

NORTH WEST DIVISION, MAHIKENG

CASE NO. UM192/22

In the matter between: -

SAKELIGA NPC	First Applicant
CENTER FOR GOOD GOVERNANCE AND SOCIAL JUSTICE NPC	Second Applicant
BAREND LOURENS SNYMAN	Third Applicant

And

DITSOBOTLA LOCAL MUNICIPALITY	First Respondent
THE MUNICIPAL MANAGER /ACTING MUNICIPAL MANAGER OF THE DITSOBOTLA LOCAL MUNICIPALITY	Second Respondent
THE PREMIER OF NORTHWEST PROVINCE	Third Respondent
PROVINCIAL EXECUTIVE OF THE NORTHWEST PROVINCE	Fourth Respondent
MEMBER OF THE EXECUTIVE COUNCIL: NORTHWEST PROVINCE: COOPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS	Fifth Respondent

MEMBER OF THE EXECUTIVE COUNCIL:	
NORTH WEST PROVINCE: FINANCE	Sixth Respondent
PRESIDENT OF THE REPUBLIC OF	
SOUTH AFRICA	Seventh Respondent
MINISTER NATIONAL DEPARTMENT OF COOPERATIVE	
GOVERNANCE AND TRADITIONAL AFFAIRS	Eighth Respondent
MINISTER: NATIONAL DEPARTMENT OF FINANCE	Ninth Respondent
MINISTER: WATER AND SANITATION	Tenth Respondent
NGAKA MODIRI MOLEMA DISTRICT MUNICIPALITY	
MODIRI MOLEMA DISTRICT MUNICIPALITY	Eleventh Respondent
ESKOM SOC LTD	Twelfth Respondent
MAGALIES WATER BOARD	Thirteenth Respondent
THE ADMINISTRATOR:	
DITSOBOTLA LOCAL MUNICIPALITY	Fourteenth Respondent

CONFIRMATORY AFFIDAVIT TO THE ELEVENTH RESPONDENT'S ANSWERING AFFIDAVIT

I, the undersigned,

EDWIN MAKOLA

Do hereby make oath and state that:

1. I am a major person of full legal capacity.

2. I am a qualified Engineer and the Director of Themak Consulting Civil Engineers Consultancy ("Themak").

3. The facts herein contained are, unless the context otherwise indicates, within my personal knowledge and are to the best of my knowledge and belief true and correct.

4. I confirm having read the founding affidavit deposed to by **OLEHILE ALLAN LOSABA.**

5. I confirm that Themak has entered into a professional service agreement with Ngaka Modiri Molema District Municipality ("Ngaka") to render professional services for Ngaka in respect of water and sanitation. The initial contract period was for three years, having commenced during 2019 and it has since been extended with a further three years and is to lapse sometime during 2025.

6. Themak's terms of reference entail the appointment of contractors to do the actual work which it supervises and reports to Ngaka.

7. Themak has previously appointed Selenane construction to upgrade the bulk water services for the Ditsobotla Local Municipality. Selenane has completed its scope of work and has been signed off, save for the retention period.

8. I further confirm that I have provided the water readings of waterworks reservoir of the 05 February 2023 to Ngaka, which readings are an annexure to the answering affidavit. In terms of our operations, the readings are obtained from Selenane and thereafter verified by Themak prior to transmitting same in a form of a report to Ngaka. I confirm that the said readings have been verified and are accurate.

9. I also need to point out that from time to time, we are experiencing acts of vandalism to the bulk water infrastructure, which acts impact on the overall provision of the bulk water services. For instance, on the 20 February 2023, upon inspection, a transformer link to Boreholes 9 and 10 had been intentionally removed by unknown persons.

10. I also annex photos depicting acts of vandalism to the newly renovated boreholes infrastructure, marked annexure **"AA3."**

11. I further confirm that Ngaka is able to provide portable bulk water of good quality and continues to do so save for acts of vandalism and load shedding that we experience from time to time.

12. I further need to point out that power surges and vandalism also damage the bulk water infrastructure, however notwithstanding that, there is adequate bulk water for the Ditsobotla

DATED AT _____ ON THIS ___ DAY OF FEBRUARY 2023

_____

EDWIN MAKOLA

I CERTIFY that this affidavit was signed before and sworn to before me at **MAFIKENG on** this the **22ND day** of **FEBRUARY 2023,** by the deponent who acknowledge that he knew and understood the contents of this affidavit, had no objection to taking this oath, considered this oath to be binding on his conscience and who uttered the following words: "I swear that the contents of this affidavit are true, so help me God.

_____

COMMISSIONER OF OATHS

Themak Consulting
3581 Mopani Street, Danville extension, Mafikeng
Tel. (082) 303 3082
Fax: (086) 655 6713
E-Mail: info@themak.co.za

CK No. 2007/137807/23 Company VAT No. 4710244031

Date: 21 February 2023

ATTENTION: Mr. V. Maboka

The Project Manager
Ngaka Modiri Molema District Municipality
Private Bag X2167
Mafikeng
North West Province
2745

Dear Sir,


PROJECT: OPERATION AND MAINTENANCE CONTRACT OF BULK WASTEWATER INFRASTRUCTURE FOR NGAKA MODIRI MOLEMA DISTRICT MUNICIPALITY (MAFIKENG AND RAMOTSHERE MOILOA LOCAL MUNICIPALITIES) FOR A PERIOD OF 36 MONTHS (THREE YEARS)

Vandalism on our sites

The following sites were vandalized by criminals as follows:

Date 14 February 2023, place **Motswedi** waste water treatment works: 10 armed men attacked guards on duty and stole copper cables and the damage is as on the photos below,



Date 18 February 2023, place **Coligny** waste water treatment works: copper cables were stolen and the damage is as on the photos below,

Yours faithfully

Edwin Makola
For Themak Consulting